



## GREASE FITTINGS

### GREASE FITTINGS - 1/8" MALE PIPE THREAD FITTINGS



EDP#	Item Code	Description	Lgth. In.	Price
3247-43205	LINC 5000	1/8" STR GREASE FITTING-SHORT	21/32	\$ .48
3247-43605	LINC 5003	1/8" STR GREASE FITTING-MED	1 1/4	1.75
3247-56005	LINC 5007	1/8" NPT STR. FITTING	1 3/4	1.08
3247-56405	LINC 5009	1/8" NPT STR. FITTING	2 5/8	1.93
3247-47205	LINC 5100	1/8" 30° GREASE FITTING	1-3/32	1.15
3247-51205	LINC 5200	1/8" 45° GREASE FITTING	7/8	1.33
3247-52005	LINC 5300	1/8" 65° GREASE FITTING	29/32	1.08
3247-52805	LINC 5400	1/8" 90° GREASE FITTING	27/32	1.08

### GREASE FITTINGS - 1/8" FEMALE PIPE THREAD FITTINGS



EDP#	Item Code	Description	Lgth. In.	Price
3247-53605	LINC 5505	1/8" STR GREASE FITTING	1.0	\$1.28

### GREASE FITTINGS - 1/4" PIPE THREAD



Standard package 20.

EDP#	Item Code	Description	Lgth. In.	Price
3247-46805	LINC 5050	1/4" STR GREASE FITTING	13/16	\$1.67
3247-52405	LINC 5350	1/4" 65° GREASE FITTING	1-1/8	2.23

### GREASE FITTINGS - 1/4" -28 THREAD FITTINGS



Standard package 20.

EDP#	Item Code	Description	Lgth. In.	Price
3247-44005	LINC 5010	1/4-28 STR GREASE ZERK		\$ .29
3247-44405	LINC 5013	1/4-28 STR GR FITTING LONG		\$ .29
3247-51605	LINC 5210	1/4-28 45° GREASE FITTING		\$1.35
3247-53205	LINC 5410	1/4-28 90° GREASE FITTING		\$1.35

## GREASE FITTINGS

### GREASE FITTINGS - 6MM PIPE THREAD FITTINGS



Std. Pkg. 20

#5175

EDP#	Item Code	Description	Lgth. In.	Price
3247-47605	LINC 5175	6MM STR METRIC GREASE FTG	19/32	\$.41
3247-48005	LINC 5176	6MM 45° METRIC GREASE FTG	13/16	\$.62
3247-48405	LINC 5177	6MM 90° METRIC GREASE FTG	3/4	\$.91

### GREASE FITTINGS - 8MM PIPE THREAD FITTINGS



Std. Pkg. 20

#5178

EDP#	Item Code	Description	Lgth. In.	Price
3247-48805	LINC 5178	8MM STR METRIC GREASE FTG	5/8	\$.52
3247-49205	LINC 5179	8MM 45° METRIC GREASE FTG	13/16	\$1.21
3247-49605	LINC 5180	8MM 90° METRIC GREASE FTG	3/4	\$1.21

### GREASE FITTINGS - 10MM PIPE THREAD FITTINGS



Std. Pkg. 20

#5181

EDP#	Item Code	Description	Lgth. In.	Price
3247-50005	LINC 5181	10MM STR GREASE FITTING	5/8	\$.68
3247-50405	LINC 5182	10MM 45° GREASE FITTING	13/16	\$1.29
3247-50805	LINC 5183	10MM 90° GREASE FITTING	3/4	\$1.29

### GREASE FITTINGS - DRIVE TYPE FITTINGS



Std. Pkg. 20

#5026

EDP#	Item Code	Description	Lgth. In.	Price
3247-44805	LINC 5026	3/16" STR GREASE FITTING-NO BALL	37/64	\$0.42
3247-45205	LINC 5029	1/4" GR STR DR FITTING	9/16	\$0.52
3247-45605	LINC 5031	5/16" GR STR DR FITTING	9/16	\$0.32
3247-46005	LINC 5033	3/16" GR STR DR FITTING	9/16	\$0.59

### GREASE FITTINGS - FITTING DRIVE TOOL



For use in installing drive type fittings into untapped holes.

EDP#	Item Code	Description	Wt.	Price
3805-35205	LINC 11485	ZERK DRIVE TOOL	0.38	\$25.13



## GREASE FITTINGS

### GREASE FITTINGS - 1/4" STANDARD BUTTON HEAD FITTING, MPT

Cap In 3/8 - 2 5/8, Cap mm 10-67, Length In 12, Length mm 300.

EDP#	Item Code	Description	Lgth. In.	Wt.	Price
3247-54405	LINC 5705	1/4" STD BUT HD FITTING	53/64	0.13	\$171

### GREASE FITTINGS ASSORTMENT



Grease Fitting Assortments included the following:

**GF8** A 10 pc assortment of the most popular grease fittings. Quantity in Assortment:  
 5210 - 1 5100 - 1 5010 - 2 5033 - 1  
 5000 - 2 5400 - 1 5410 - 1 5029 - 1

**GF100** A 100 pc assortment of the common zerk in a convenient case:  
 5000 - 20, 1/8" Straight 5400 - 10, 1/8" 90° Elbow 5210 - 10, 1/4" 28-48° Elbow  
 5300 - 10, 1/8" 65° Elbow 5010 - 40, 1/4" 28° Straight 5400 - 10, 1/4" 28-90° Elbow

EDP#	Item Code	Description	Wt.	Price
3247-10547	LINC GF8	GREASE FITTING ASST.	--	\$ 7.75
3247-87847	HUYETT GF100	100 PC. GREASE FITTING ASST.	1.50	\$62.16

## GREASE GUNS

### GREASE GUNS - ALEMITE ECONOMY



EDP#	Item Code	Description	Wt.	Price
5949-01500	ALMITE F100	AIR CARTRIDGE GUN	--	\$66.72
5949-00200	ALMITE F106	LEVER GUN (STANDARD) (11155)	3.25	\$16.80
5949-00300	ALMITE F103	PISTOL GRIP (11145)	3.38	\$23.80
5949-10000	ALMITE 500	LEVER GUN 16 OZ.	--	\$36.00
5949-00800	ALMITE F107	PUSH N LUBE	--	\$ 9.35

## GREASE GUNS

### MILWAUKEE CORDLESS GREASE GUN KIT



The Milwaukee 2446-21XC M12 12-Volt Lithium-Ion Cordless Grease Gun is one of the newest cordless tool innovations from Milwaukee Electric. Working off of the Milwaukee M12 XC Lithium-Ion 12-Volt battery system, the 2446-21XC develops higher pressure while offering greater productivity and versatility than any other cordless grease gun on the market.

**Features:**

- Delivers over 8,000 PSI max operating pressure for heavy duty applications, 25% more pressure and run-time than the competition.
- Dispenses up to seven grease cartridges per battery charge.
- Lightweight, ergonomic handle design provides greater user comfort, even during prolonged use.
- On-board hose storage and shoulder strap loop for added convenience with less mess.
- Three way loading; bulk, cartridge, and suction capable.
- Accepts 14 oz. grease cartridges, 16 oz. bulk.

**Included:**

- One M12 XC Battery Pack (48-11-2402)
- One 30-Minute Charger
- 36-Inch Flex Hose with Spring Guard
- Grease Coupler

EDP#	Item Code	Description	Wt.	Price
4341-62500	MILW 2446-21XC	M12 CORDLESS GREASE GUN KIT	11.5	\$284.29
4341-48600	MILW 48-11-2402	M12 XC BATTERY LITHIUM	--	\$117.00

### GREASE GUNS - LINCOLN HEAVY DUTY



**Lincoln Grease Guns** load either by suction, filler pump, or cartridge. Includes exclusive Flip-Over Follower.

Filler nipple for fast and economical filling of gun from filler pump. Special design allows gun to dispense all lubricant from a cartridge. Hi pressure model #1142 and 1151 are 10,000 psi max. Each Lincoln Grease Gun contains a positive-prime follower that permits instantaneous priming and each gun features Heavy Duty construction and pump head.

**Lincoln's Power-Luber 12V DC Cordless Rechargeable Grease Gun** has been an industry leader in the cordless market. It is lightweight (7.25lbs) and provides the lubrication solution for numerous lube jobs. Featuring: 6,600 psi, 3 oz/min flow rate, 14 oz. capacity reservoir tube and the 1 hour fast charger makes the 1242 a standard in any ag or industrial application.

EDP#	Item Code	Description	Wt.	Price
3805-32005	LINC 1132	LINCOLN 16OZ PISTOL-GRIP, TUBE	3.25	\$ 43.70
3805-56805	LINC 1133	LINCOLN 16OZ PISTOL-GRIP, 18" HOSE	--	\$ 46.03
3805-32405	LINC 1142	LINCOLN 16OZ LEVER HP	3.88	\$ 29.32
3805-32805	LINC 1151	LINCOLN 21OZ LEVER HP	4.38	\$ 33.95
3805-00105	LINC 1242	POWERLUBER W/CASE 12V W/1 BATTERY	15.20	\$255.20
3805-01205	LINC 1201	BATTERY FOR 1242 GUN	--	\$ 91.90
3805-01405	LINC 1210	110-V BATTERY CHARGER	--	\$ 47.33
3805-57705	LINC 1230	30" WHIP HOSE, POWERLUBER	--	\$ 32.69
3805-31205	LINC 615	LINCOLN 2012 SUCTION GUN	--	\$ 26.32
3805-57905	LINC <1142-31612>	1142 G.GUN W/12" HOSE	--	\$ 33.10



## GREASE GUNS

### GREASE GUNS - LINCOLN HEAVY DUTY - CLEAR

**Lincoln Grease Guns** load either by suction, filler pump, or cartridge. Includes exclusive Flip-Over Follower.

Filler nipple for fast and economical filling of gun from filler pump. Special design allows gun to dispense all lubricant from a cartridge. Each Lincoln Grease Gun contains a positive-prime follower that permits instantaneous priming and each gun features Heavy Duty construction and pump head.

**Lincoln's premium Clear Grease Guns** allow for 100% positive, visual grease identification. Now you can see the type of grease in the gun before pumping. The high strength clear tube is Military Approved and developed for maintenance support.

EDP#	Item Code	Description	Wt.	Price
3805-00505	LINC 1134CLR	CLEAR PISTOL-GRIP GREASE	3.25	\$73.20
3805-00705	LINC 1142CLR	CLEAR HD PISTOL-GRIP GREASE	3.60	\$55.77
3805-00805	LINC 1148CLR	CLEAR DELUXE LEVER GREASE	3.60	\$62.24
3805-00605	LINC 1100CLR	CLEAR TUBE ONLY F/GREASEGUN		\$36.17

## LUBRICATION ACCESSORIES

### LUBE ACCESSORIES - LINCOLN EASY-OUT TOOLS




EDP#	Item Code	Description	Taps In.	Wt.	Price
3805-40805	LINC G905	LINCOLN EASY-OUT TOOL	1/8 NPT	0.25	\$15.75
3805-38805	LINC G904	LINCOLN EASY OUT TOOL	1/4-28	0.13	\$15.34

### LUBE ACCESSORIES - LINCOLN NEEDLE NOZZLE

For contacting flush-type fittings or hard to reach hydraulic fittings.

EDP#	Item Code	Description	Wt.	Price
3805-33205	LINC 5803	LINCOLN NEEDLE NOZZLE	0.13	\$14.99

### GREASE INJECTORS - AGTRONIC



Just attach to hand grease gun and slip the stainless steel surgical needle under or through the bearing seal. Also ideal for getting lubrication to "hard to get at" points of friction. A new and unique approach for prolonging the life of sealed bearings.

EDP#	Item Code	Description	Wt.	Price
6318-80208	TRIAD 131607	AGTRONIC FLEX GREASE INJ	0.17	\$10.46
6318-80108	TRIAD 131409	AGTRONIC RIGID GREASE INJ	0.04	\$ 4.06

## LUBRICATION ACCESSORIES

### LUBEMINDER® GREASE BANK SYSTEM

The LubeMinder Grease Bank System:

- Provides convenient location of grease points.
- The operator no longer needs to crawl around or under the machine to grease all the grease points.
- The system comes complete and ready to install.
- Maximize machine value at trade in time.
- Designed for Balers, Mowers, Combines, etc.



EDP#	Item Code	Description	Price
5968-00100	SUBMAN 210075-001	10 PORT GREASE BANK SYSTEM	\$252.96

### LINCOLN UNIVERSAL BEARING PACKER

FAST, EFFICIENT, THOROUGH

Simple place bearing between the plastic cones, tighten, and apply grease through the fitting on the end of the threaded shaft.

Forces out old grease and evenly injects fresh grease.

- SAE fitting head
- Fast, efficient and thorough
- Perfect for auto, boat and travel trailers



EDP#	Item Code	Description	Price
3805-01515	LINC 224	BEARING PACKER	\$9.56

### LINCOLN INDUSTRIAL 5805 IMPACT FITTING CLEANER



- Grease that has hardened in a fitting or joint often forces equipment out of service for disassembly and repair. Lincoln's new Impact Fitting Cleaner flushes lubricant passages of dried or separated grease. The Model 5805 clears blockages so that fresh grease can be applied.
- Eliminates the need to disassemble joints or replace fittings.
- Forces light oil through clogged lubrication points.
- Includes:

Steel drive cylinder, Hardened piston, Safety shield, High-pressure hose for hard-to-access fittings, Spare drive seals, 5852 coupler.

EDP#	Item Code	Description	Price
3805-01605	LINC 5805	IMPACT GREASE FITTING CLEANER	\$42.98



## LUBRICATION ACCESSORIES

### GREASE GUN HOLDER



Greene Grease Gun Holder is designed for shop, service vehicles etc. Grease Gun Holder will keep your gun in place till you are ready to use it.

EDP#	Item Code	Description	Price
2906-00100	GREGAL GAGGH	GREASE GUN HOLDER	\$18.00

### GREASE GUN HOLDERS



EDP#	Item Code	Description	Wt.	Price
5949-00400	ALMITE F331035	GUN HOLDER	0.38	\$7.09

### NIPPLES - LINCOLN FILLER NIPPLE - 1/8" NPT



EDP#	Item Code	Description	Wt.	Price
3805-41205	LINC 91108	LINCOLN 1/8" FILLER NIPPLE	0.13	\$6.57



For Additional Product Information Call Ag Sales at 800-767-2273 or visit [www.johnday.com](http://www.johnday.com)

Lubrication

## LUBRICATION ACCESSORIES

### NIPPLES - ALEMITE LOADER NIPPLE - 1/8" NPT



EDP#	Item Code	Description	Wt.	Price
5949-00100	ALMITE B306740	LOADER FITTING	0.13	\$5.96

### HOSE - GATES HIGH PRESSURE WHIP HOSE



FOR USE WITH HAND OPERATED GREASE GUNS

This hose has a working pressure of 4,000 lbs., burst pressure of 10,000 lbs., and is 3/16" I.D. with 1/8" M.P.T.

NOTE: FOR LENGTHS NOT LISTED, JOHN DAY COMPANY WILL MAKE HOSES TO CUSTOMER SPECIFICATIONS.

EDP#	Item Code	Description	Wt.	Price
3235-63921	GATES 31612	12" WHIP HOSE ASSEMBLY	0.20	\$ 7.11
3235-63931	GATES 31618	18" WHIP HOSE ASSEMBLY	0.30	\$ 8.33
3235-63941	GATES 31624	24" WHIP HOSE ASSEMBLY	0.40	\$ 9.55
3235-63951	GATES 31636	36" WHIP HOSE ASSEMBLY	0.60	\$ 11.98
3805-57905	LINC 81725	18" WHIP HOSE ASSY.	--	\$ 33.00

### GREASE GUN EXTENSION - SWIVEL EXTENSION



EDP#	Item Code	Description	Wt.	Price
4493-51393	NAT 48	SWIVEL COUPLER ASSEMBLY	0.25	\$20.21

### GREASE GUN EXTENSION TUBES

EDP#	Item Code	Description	Wt.	Price
3805-35605	LINC G906	LINCOLN 6" EXT TUBE	0.13	\$ 3.35
3805-36005	LINC 62061	LINCOLN 12" EXT TUBE	0.25	\$12.55
3805-36405	LINC 62117	LINCOLN 18" EXT TUBE	0.38	\$14.75



**LUBRICATION ACCESSORIES**

**COUPLERS - HYDRAULIC**



LINCOLN COUPLER ADAPTER

360° Coupler Adapter, swivels in full circle and locks in any one of eight 45° angle positions. Adjustable coupler section assembled with a 45° angle body permitting contact with fittings in reverse position. Angle body has 1/8" NPT female inlet for addition of pipe extension.

EDP#	Item Code	Description	Wt.	Price
3805-34005	LINC 5848	LINCOLN 360° HYD COUPL ADPT	0.38	\$62.78



No. 5852 - Small diameter Hydraulic Coupler

No. 5845 - Hydraulic Coupler.

EDP#	Item Code	Description	Wt.	Price
3247-87747	HUYETT 52P	H84000 HAND GUN HYD COUPLER	0.13	\$ 3.29
3805-34805	LINC 5858	LINCOLN FLEX/RIGID EXT ADPT	0.63	\$88.24
3805-34405	LINC 5852	LINCOLN HAND GUN HYD CPLR	0.13	\$ 7.73
3805-01305	LINC G300	GUARDIAN GREASE GUN COUPLER	0.13	\$ 4.89
3805-33605	LINC 5845	LINCOLN 1/8" NPT HYD COUPL	0.13	\$14.77


**GREASE GUN FILLERS & FILLER VALVE**



EDP#	Item Code	Description	Wt.	Price
5949-00600	ALMITE 7118-I	GUN FILLER	7.63	\$66.59
4493-50593	NAT 29	GREASE GUN FILLER VALVE	0.13	\$ 5.59

**LUBRICATION PUMPS**

**HEAVY DUTY BARREL PUMP**




EDP#	Item Code	Description	Wt.	Price
5949-00500	ALMITE F406	TRANSFER PUMP	5.88	\$44.42

**MODEL #1002 SPENCER ROTARY HAND PUMP**




EDP#	Item Code	Description	Wt.	Price
4493-50193	NAT 1002	ROTARY VANE HAND PUMP	15.50	\$81.91

**PBL DOUBLE ACTION PISTON PUMP**



EDP#	Item Code	Description	Price
4834-80408	PBL H6F	DOUBLE ACTION PISTON PUMP	\$160.84

**PBL BATTERY POWERED TRANSFER PUMP**



EDP#	Item Code	Description	Price
4834-80008	PBL FP12	12 VOLT DC UTILITY PUMP	\$413.71

Lubrication



**LUBRICATION ACCESSORIES**

**DL GOLDEN ROD PISTOL OILERS**



A fast-selling, inexpensive pistol oiler. Flared copper bronze finish container for top appearance and stability. Packed 6 per carton.

EDP#	Item Code	Description	Wt.	Price
2171-44471	DL 56080	600 PISTOL OILER W/5" RIDGID SPOUT	0.38	\$10.38
2171-44771	DL 56112	606 PISTOL OILER W/6" FLEX SPOUT	0.38	\$11.36
2171-41771	DL 56176	626 10 OZ PISTOL OILER	2.50	\$12.90
2171-42071	DL 56192	630 20 OZ PISTOL OILER W/6" SPOUT	0.70	\$15.33

**DL SPRING BOTTOM OILERS**



These expertly made oilers feature double seamed spring steel bottoms plus roll threaded filler openings for leakproof body-to-spout connection.

EDP#	Item Code	Description	Wt.	Price
2171-41471	DL 56024	505 SPRING BOTTOM OILER, 6 OZ. W/4-1/2" TAPERED SPOUT	0.23	\$5.67

**DL GOLDEN ROD DELUXE HYDRAULIC PUMP OILERS**



EDP#	Item Code	Description	Wt.	Price
2171-42371	DL 56240	707 12 OZ OILER W/8" FLEX	0.60	\$14.63
2171-41171	DL 55776	120-C 1 PT OILER L/SPOUT	1.38	\$25.62
2171-51771	DL 55712	120-B 1-1/2PT OILER L/SPOUT		\$26.50
2171-42671	DL 55648	120-A 1 QT OILER L/SPOUT	1.63	\$27.76
2171-43871	DL 301014	GOLDENROD 8" STR. SPOUT	0.13	\$6.84
2171-51471	DL 301013	GOLDENROD 10" STR SPOUT	0.25	\$6.84
2171-44171	DL 301012	GOLDENROD 12" STR SPOUT	0.25	\$6.84
2171-42971	DL 301024	GOLDENROD 10" FLEX SPOUT	0.13	\$6.84
2171-43271	DL 301025	GOLDENROD 12" FLEX SPOUT	0.13	\$6.84
2171-43571	DL 301026	GOLDENROD 15" FLEX SPOUT	0.13	\$6.84

**Your Midwest  
Distributor  
Since 1909.**

**FUEL ACCESSORIES**

**FUNNELS**

*Funnels - Measure*

2-quart galvanized measure with rigid spout.

EDP No.	Description	Price
4493-52793	4 QT. OIL CAN W/SPOUT	\$18.34
4493-52993	4 QT. OIL CAN W/FLEX SPOUT ON BOTTOM	91.69

*Funnels - 8 Quart*



8-quart lock-on type galvanized funnel with screen.

EDP#	Item Code	Description	Wt.	Price
4493-51993	NAT 703	8 QT. GALV TRACTOR FUNNEL	2.13	\$21.94

*Funnels - 5 Quart*



5-quart off-set galvanized funnel with screen.

EDP#	Item Code	Description	Wt.	Price
4493-52193	NAT 705	5 QT. GALV OFFSET FUNNEL	1.50	\$24.59

*Funnels - 1 Quart*

1-quart galvanized funnel with screen.

EDP#	Item Code	Description	Wt.	Price
4493-51793	NAT 701	1 QT. GALV IRON FUNNEL	0.38	\$6.78
4493-00293	NAT 775	6"X18" TAPERED PLAST FUNNEL	--	\$3.29

**Fuel Filter No. 495**



EDP#	Item Code	Description	Wt.	Price
2171-45971	DL 56599	495 FUEL FILTER	2.50	\$50.42
2171-46571	DL 75060	470-5 RPLC ELEMENT	0.38	\$ 9.45
2171-46871	DL 75056	470-7 GASKET	0.13	\$ 1.05
2171-46271	DL 75074	495-4 RPLC BOWL	0.50	\$24.11

*Fuel Filter - Spin-On*



EDP#	Item Code	Description	MIC	9PM	Wt.	Price
2171-49571	DL 56606	595 FUEL FILTER	10	12	2.63	\$36.78
2171-49871	DL 56608	595-5 RPLC CANISTER	-	-	1.00	\$11.78
2171-50171	DL 56610	596 FUEL FILTER WATER-BLOCK	10	12	2.63	\$45.61
2171-50471	DL 56612	596-5 RPLC CANISTER	-	-	1.13	\$21.88



**FUEL ACCESSORIES**

*Barrel Faucet*




EDP#	Item Code	Description	Price
4389-12800	MMM 46-270	Self-Closing Barrel Faucet, 3/4" NPT Bronze Die Cast, Lockable	\$11.06

*Fuel Filter Wrench*



EDP#	Item Code	Description	Wt.	Price
2171-45671	DL 56585	491 FILTER WRENCH	0.13	\$8.07

*Fuel Hose Farm Service*



EDP#	Item Code	Description	Price
2943-99010	GYR 3410	595-026-191-86101 3/4" X 10'	\$30.35
2943-99020	GYR 3414	595-026-191-88301 3/4" X 14'	\$40.76
2943-99030	GYR 3420	595-026-191-86601 3/4" X 20'	\$56.81
2943-99040	GYR 110	595-026-254-92901 1" X 10'	\$52.03
2943-99050	GYR 114	595-026-254-88101 1" X 14'	\$70.63
2943-99060	GYR 120	595-026-254-91601 1" X 20'	\$103.70

Log-on to [www.johnday.com](http://www.johnday.com)  
for Current Pricing & Availability,  
Order Status and Purchase History.

*Nozzles - Aluminum Farm*



EDP#	Item Code	Description	Wt.	Price
2334-70134	EBW 402-300-01	3/4" STANDARD NOZZLE	1.50	\$32.68
2334-70434	EBW 402-300-02	1" STANDARD NOZZLE	1.50	\$32.68
2334-70734	EBW 402-310-01	3/4" UNLEADED NOZZLE	1.50	\$32.68
2334-71034	EBW 402-310-02	1" UNLEADED NOZZLE	1.50	\$32.68

**Fire Protection Equipment & Supplies**

**Safety Cans**

*Type I Safety Storage Cans (Round)*



EDP#	Item Code	Description	Price
--	PROSEA 4609C	TYPE1 SAFETY CAN, RED, 1 PT.	Call
--	PROSEA 4610C	TYPE1 SAFETY CAN, RED, 1 QT.	Call
--	PROSEA 4611C	TYPE1 SAFETY CAN, RED, 2 QT.	Call
--	PROSEA 4612C	TYPE1 SAFETY CAN, RED, 1 GAL.	Call
--	PROSEA 4613C	TYPE1 SAFETY CAN, RED, 2 GAL.	Call
--	PROSEA 4625C	TYPE1 SAFETY CAN, RED, 2 1/2 GAL.	Call
--	PROSEA 4614C	TYPE1 SAFETY CAN, RED, 3 GAL.	Call
--	PROSEA 4615C	TYPE1 SAFETY CAN, RED, 5 GAL.	Call
2284-61684	EAGLE U1-50S	5-GAL RED SAFETY CAN	\$66.59
2284-61984	U1-50-S	5-GAL BLUE SAFETY CAN	\$66.59

**Compounds**

*Lubricants - Fluid Film*

**Fluid Film** provides rust and corrosion protection as a penetrant and lubricant for home, business, farm, marine and industry. Fluid Film is always active and will not become tacky. It is a superior lubrication to all moving parts. Non-conductive and doesn't support static electricity on electrical equipment.

Prevents corrosion – frees rusted parts  
Lubricates equipment, machinery, recreation gear  
Preserves metals, vinyl, leather and resists washoff  
Environmentally friendly with no solvent to evaporate



EDP#	Item Code	Description	Case	Price
2522-00100	EUREKA FF12CAN	FLUID FILM 11-3/4 OZ AEROSO	12	\$ 8.43
2522-00200	EUREKA FF1GAL	FLUID FILM 1 GALLON JUG	4	\$37.44
3036-00600	HEAMAR FFPUMPCAN	FLUID FILM 12 OZ SPRAY	12	\$12.44

Lubrication



## Lubricants

### Graphite - Slip Plate

A heavy-duty, dry film graphite lubricant that solves sliding friction problems where conventional lubricants fail to perform.



EDP#	Item Code	Description	Price
5988-82088	SUPER 33203	SLIP-PLATE GRAPHITE AEROSOL	\$ 8.20
5988-81488	SUPER 33005	SLIP-PLATE#1 GRAPHITE QUART	\$21.66
5988-81788	SUPER 33015	SLIP-PLATE#1 GRAPHITE GAL	\$54.92

### Graphite - Mower Guard



EDP#	Item Code	Description	Price
5988-00200	SUPER 34002	MOWER GUARD AEROSOL 7 OZ.	\$10.74
5988-00300	SUPER 34003G	MOWER GUARD AEROSOL 12 OZ.	\$10.61

### Graphite - Black Ice



EDP#	Item Code	Description	Price
5988-00400	SUPER 36002	BLACK ICE AEROSOL 6 OZ.	\$13.74

### Graphite - Lubricant



EDP#	Item Code	Description	Price
5988-81188	SUPER 30734	SEED SLIK GRAPHITE 1LB	\$7.44

### Graphite - Lubricant



EDP#	Item Code	Description	Price
5988-22002	SUPER 30732	SEED SLIK TALC TUBS 8#	\$24.47

### Graphite - Blend



EDP#	Item Code	Description	Price
5988-00100	SUPER 30750	SEED SLIK-SG BLEND (80/20) 8#	\$44.86

### Crown (Pulmore) Lubricants

EDP#	Item Code	Description	Price
4481-60181	CROWN 7045	CS=12 14OZ HD OPEN GEAR LUB	\$ 7.11
4481-60481	CROWN 7047	CS=12 15.6OZ DRIPLESS OIL	\$4.99
4481-60781	CROWN 5040	CS=12 BUTTERCUTT PINT	\$9.78
4481-61081	CROWN 8079	CS=12 DRIVE BELT DRESSING	\$4.94
4481-61681	CROWN 6030	CS=12 15OZ PENETRATING OIL	\$5.07
4481-61981	CROWN 8034	CS=12 15OZ GP SILICONE LUBE	\$5.51
4481-62881	CROWN 8078	CS=12 14.5OZ GRAPHOR SPRAY	\$5.84
4481-00400	CROWN 7007	16 OZ. ZINC RICH GALVANIZE	\$7.91
4481-00800	CROWN 7008	13 OZ. BRITE GALVANIZE SPRAY	\$8.99

## ADHESIVES & SEALANTS

### Adhesives

#### Industrial Adhesives - Pliobond



Pliobond 20 is an all-purpose, thermosetting adhesive which can be used to bond virtually all porous substrates. Provides bonds that toughen with age. Constant flexing, pulsing, or vibration over wide temperature extremes will not affect these cured bonds. Dielectric qualities of Pliobond 20 adhesives make them ideal for a wide variety of electrical applications.

EDP#	Item Code	Description	Wt.	NET
5495-00100	RUS PBC-20	#20 1/2PT GOODYEAR PLIOBOND	0.67	\$9.32
5495-00200	RUS PC-220	#20 1PT GOODYEAR PLIOBOND	1.08	\$15.50
5495-00300	RUS PC-320	#20 1QT GOODYEAR PLIOBOND	2.08	\$26.46
5495-00400	RUS PC-330	#30 1QT GOODYEAR PLIOBOND	--	\$30.00

#### Epoxy - Fast cure

Loctite Brand Accelerators are used to increase the cure speed and gap-filling capability of cyanoacrylate adhesives. Activators are specially-engineered curing agents of structural adhesives. Loctite brand primers are used to ensure cure on inactive surfaces and speed the cure of machinery adhesives.

19368	7090 Solventless Activator, 1 fl oz, dry time 10 min., Anaerobic application
21348	7649 Primer N, 4.5oz aerosol can, dry time 30-70 sec, Anaerobic application

Loctite Fixmaster Epoxies repair, rebuild and restore damaged parts to quickly return equipment to service. Cured epoxies can be drilled, tapped and machined – just like original metal. This non-shrinking product is capable of bonding to metal, ceramic, wood, glass, and some plastics.

21426 Fixmaster Fast Cure Epoxy (mixer Cups), 10-1 oz cups, working time, 5 min, full cure 1 hr. Pre-measured mix cups bonds glass, hard plastics, rubber and metal in 5-15 minutes. Excellent chemical resistance, fills porosities and can be used to build up worn parts.

EDP#	Item Code	Description	Price
3869-66400	LOC 21426	LOCTITE FAST CURE EPOXY,1-OZ MIXER CUPS	\$8.90
--	LOC 19368	7090 SOLVENTLESS ACTIVATOR, 1FL OZ BOTTLE	Call
3869-02200	LOC 21348	7649 PRIMER N 25 GR AE	\$25.88

#### Gasket Eliminator - Loctite Anaerobic Gasketing Products



Loctite innovative gasketing products offer precise, reliable sealing whether applied manually or by the automated methods used in high volume assembly.

- 504: Orange, gap filling, low pressure seal. Fills gaps to .050". 250 ml tube.
- 510: Red, hi-temp (to 400°F), with excellent solvent resistance. 250 ml tube.
- 515: Purple, makes flexible gaskets for rigid material flanges. 50 and 300 ml tube.
- 518: Red, makes flexible gaskets for flexible metal/aluminum surfaces. 300 ml tube.

EDP#	Item Code	Description	Price
--	LOC 50441	#504 GASKET ELIMINATOR FLANGE SEALANT	CALL
--	LOC 51041	#510 GASKET ELIMINATOR FLANGE SEALANT	CALL
--	LOC 51531	#515 GASKET ELIMINATOR FLANGE SEALANT	CALL
3869-66700	LOC 51580	#515 GASKET ELIMINATOR FLANGE SEALANT	\$44.75
--	LOC 51845	#518 GASKET ELIMINATOR FLANGE SEALANT	CALL





**ADHESIVES & SEALANTS**

**Gasketing**

*Gasket - Loctite Instant Gasket*



Makes high-performance, leak proof gaskets in one minute. Equipment can be returned to service immediately. Blowout resistant and outperforms precut gaskets. Increased Oil Resistance. Non-Corrosive  
Sealing Time - Operating strength 15 psi - 1 min. -75° to 500°F temperature resistance. Black color.

Item Code	Description	Price
LOC 30684	4 OZ. CAN	Call
LOC 30509	5 OZ. CARTRIDGE	Call
LOC 30507	7 OZ. CAN	Call

*Silicone Adhesive Sealants - Loctite Superflex™ RTV*



EDP#	Item Code	Description	Price
--	LOC 59330	80 ML TUBE BLACK	Call
--	LOC 59375	300 ML CARTRIDGE BLACK	Call
--	LOC 30563	7.25 OZ. CAN BLACK	Call
3869-60525	LOC 59530	80ML TUBE, CLR RTV SIL AD/SL	\$5.70
--	LOC 59575	300 ML CARTRIDGE CLEAR	Call
--	LOC 30562	7.25 OZ. CAN CLEAR	Call
--	LOC 59430	80 ML TUBE WHITE	Call
--	LOC 59475	300 ML CARTRIDGE WHITE	Call
--	LOC 82518	7.25 OZ. CAN WHITE	Call

*Silicone Adhesive Sealants - Loctite Superflex™ Blue RTV*



Cures to a tough, flexible rubber. Makes reliable "formed-in-place" gaskets that resist shrinking, cracking and migrating. Coats pre-cut gaskets to increase reliability. Temperature range -60°F to 500°F intermittent.

Fills gaps to .25 inch. Blue color.

EDP#	Item Code	Description	Price
3869-60925	LOC 30560	80ML TUBE, BLU RTV SIL AD/SL	\$5.70
3869-61025	LOC 30533	300ML CRT, BLU RTV SIL AD/SL	\$18.25
3869-01800	LOC 40482	SUPERFLEX RTV SILICONE	\$19.14
--	LOC 30518	12 OZ. TUBE	Call

**ADHESIVES & SEALANTS**

*Silicone Adhesive Sealant - Loctite Superflex™ Red High Temp RTV*



Makes gaskets that resist temperatures to 600°F intermittent. Resists aging, weather and thermal cycling without shrinkage, cracking, hardening. Fills gaps to .25 inch. Color red.

EDP#	Item Code	Description	Wt.	Price
3869-62025	LOC 59630	80ML TUBE, RED HT RTV SILAS		\$7.88
3869-64225	LOC 59675	300ML CRT, RED HT RTV SILAS	8.00	\$25.84
--	LOC 30564	7.25 OZ. CAN		Call
--	LOC 82279	12 OZ. TUBE		Call

*Silicone Gasket Maker - Loctite Ultra Grey®*



Remains flexible and withstands high vibration. Designed for high-torque applications. Withstands temperatures from -75°F to 625°F. Outstanding oil and shop fluid resistance. Non-corrosive, low odor, Oil-resistant. Tack free, 30 min. - full strength 24 hours. Color grey.

Item Code	Description	Price
LOC 18718	70 ML TUBE	Call
LOC 18581	300 ML CARTRIDGE	Call

*Aviation Gasket Sealant - Loctite*



Reliable liquid gasket sealant, dressing and coating. Thin, brushable dressing or sealer for close-fitting parts. Use to 400°F. Resistant to gasoline and other solvents. Tested to MIL-S-45180 D. Oil Resistant.

Non-corrosive. Color - Dark reddish brown.

EDP#	Item Code	Description	Price
3869-60225	LOC 30517	.25PT CAN, AVIATION GSKT SLN	\$5.55
3869-60325	LOC 30516	1PT CAN, AVIATION GSKT SLNT	\$11.69

Lubrication



**ADHESIVES & SEALANTS**

**Gasketing**

*Gasket Sealant - Loctite #1*



Reliable paste-like gasket sealant/dressing, coating. Sets quickly to a hard set and is recommended for rigid, permanent assemblies. Use to 400°F. Resistant to gasoline and other solvents. Tested to MIL-S-45180 D.  
Applications: Coating cut gaskets to improve sealing and hold in place. Oil resistant. Non-corrosive. Color - Reddish brown.

EDP#	Item Code	Description	Wt.	Price
--	LOC 30510	1.5 OZ. TUBE	--	Call
--	LOC 30511	3 OZ. TUBE	--	Call
3869-50597	LOC 30512	11 OZ TUBE, #1 GSKT SEALANT	0.83	\$9.58

*Gasket Sealant - Loctite #2*



Reliable paste-like gasket sealant/dressing/coating. Sets more slowly to a pliable film best suited for non-rigid, vibrating assemblies. Use to 400°F. Resistant to gasoline and other solvents. Tested to MIL-S-45180D. Remains tacky.

Applications: Coating cut gaskets to improve sealing and hold in place. Oil resistant. Non-corrosive. Color - Black.

EDP#	Item Code	Description	Price
--	LOC 30513	1.5 OZ. TUBE	Call
3869-60025	LOC 30514	3 OZ TUBE, #2 GSKT SEALANT	\$4.01
3869-60125	LOC 30515	11 OZ TUBE, #2 GSKT SEALANT	\$9.19

*Gasket Sealant Spray - Loctite Copper*



Fast drying, metallic copper sealant helps dissipate heat, prevent gasket burnout and improve heat transfer. Fills hot spots and surface imperfections. Temperature range -50° to 500°F. Resists shop fluids. Oil Resistant - remains tacky. Non-corrosive. Color - Copper.

Item Code	Description	Price
LOC 30535	9 OZ. AEROSOL	Call

**ADHESIVES & SEALANTS**

*Gasket Remover - Loctite Chisel® MC-Free*



Free of Methylene Chloride, Chisel® MC-FREE Gasket Remover has a foaming action that lifts off gaskets from any type of assembly in minutes. Performs better than Methylene Chloride formulations on silicone gaskets and removes most spray paints from steel.  
Drying Time: Leave on surface 5-10 minutes. Wipe/scrape clean. Oily residue. Aerosol.

EDP#	Item Code	Description	Price
3869-65900	LOC 34663	15.25 OZ CHISEL GASKET RMVR	\$19.77

**Anti-Seize - Loctite Products**

*Anti-Seize - C5-A® Copper Based*

Exclusive formula suspends copper and graphite in a high quality grease. Protects metal parts from rust, corrosion, galling, and seizing at temperatures to 1800°F (982°C). Tested to MIL-PRF-907-E. KValue=0.16.

NOTE: Other styles and sizes of Loctite anti-seize product are available.

EDP#	Item Code	Description	Wt.	Price
3869-64025	LOC 51147	8 OZ,C5-A COPPER ANTI-SEIZE	8.00	\$14.95
3869-66200	LOC 51004	13 OZ.CARTIDGE,C5-A COPPER ANIT-SEIZE	--	\$14.50
3869-62125	LOC 51007	1# C5-A COPPER ANTI-SEIZE	1.00	\$23.46

*Anti-Seize - Silver Grade*

Heavy duty, temperature resistant, petroleum-based lubricant compound fortified with graphite and metallic flake. Inert, will not evaporate or harden in extreme cold or heat. For use in assemblies up to 1600°F (871°C). Tested to MIL-PRF-907E. KValue=0.18. Silver color. Approved by the American Bureau of Shipping.

EDP#	Item Code	Description	Price
3869-65800	LOC 76732	8 OZ. ANTI-SEIZE LUBRICANT	\$15.69
3869-56897	LOC 76764	1-LB. BRUSH-TOP ANTI-SEIZE LUBRICANT	\$22.80

*Retaining Compound - Loctite 680 High Strength*



A high strength, room-temperature-curing adhesive used to join fitted cylindrical parts. Temp range is -65° to 300°F (54° to 140°C). It fixtures in 10 minutes and provides a shear strength of 4,000 psi after 24 hours. Capable of filling diametral gap distances up to 0.015" (0.27mm). Green liquid color.

EDP#	Item Code	Description	Price
--	LOC 68015	10 ML BTL 680 HI STRGTH RET COMP	Call
7499-22001	LOC 68035	50 ML BTL 680 HI STRGTH RET COMP	\$31.62
3869-66800	LOC 68060	250 ML BTL 680 HI STRGTH RET COMP	\$91.88

Lubrication



**ADHESIVES & SEALANTS**

**Sealing Cord - Loctite**

*Sealing Cord - Loctite® 55 Pipe Sealing Cord*



Loctite® 55 is the newest technology in pipe sealing. When you need a fast, sure pipe seal, don't mess with pipe tape, dope, or wicking. Get a quick, clean seal with new Loctite® 55 Pipe Sealing Cord. It's the one-step solution that makes sealing easier than ever. Press resistance 10,000 psig. Temp range up to 300°F (150°C). White coated cord.

EDP#	Item Code	Description	Price
3869-66000	LOC 35082	5,700" PIPE SEALING CORD 55	\$11.16

**Thread Sealants - Loctite**

*Thread Sealant - Loctite 545 Hydraulic/Pneumatic*



Designed for both hydraulic and pneumatic systems, 545 contains no fillers or particles which could contaminate system fluids, foul valves, or clog fine filters and screens. Suitable for fittings up to 2" (50mm) in diameter. Seals in 4 hours, Pressure resistance (psi) 10,000. Viscosity cP's 14,000. Temp range -65° to 300°F (-54° to 149°C). Purple color.

EDP#	Item Code	Description	Price
--	LOC 32429	10ML BTL 545 HYD/PNEU SEALANT	Call
3869-65700	LOC 54531	50ML 545 HYC/PNEU SEALANT	\$39.11
--	LOC 54541	250ML BTL 545 HYD/PNEU SEALANT	Call

*Thread Sealant - Loctite 567 PST®*

A high performance sealant that locks and seals metal, tapered pipe threads, and fittings. Ideal for stainless steel, aluminum, galvanized metal, and other inert metals. 567 has excellent solvent resistance, allows easy assembly and prevents galling. Seals stainless steel in 3 hours and carbon steel in 30 minutes. Pressure resistance (psi) 10,000. Viscosity cP's 540,000. Temp range -65° to 400°F (-54° to 204°C). White paste color.



EDP#	Item Code	Description	Price
--	LOC 56707	6ML TUBE 567 THREADSEALANT PST	\$3.50
3869-65600	LOC 56747	50ML 567 THREADSEALANT PST	\$20.44
3869-01900	LOC 56765	567 PST THD SEALANT 250ML	\$69.58
--	LOC 33241	16 OZ. BRUSH CAN 567 THREADSEALANT PST	Call

**ADHESIVES & SEALANTS**

*Thread Sealant with Teflon® - Loctite*



A general purpose sealant with the added lubricity of Teflon® for metal pipes. Won't shred like Teflon® tape and allows easy disassembly. Resists common shop fluids. Pressure resistance (psi) 5,000. Temp range -60° to 300°F (-51° to 149°C). White paste color.

EDP#	Item Code	Description	Price
3869-60625	LOC 30534	.25 PT CAN, THRD SLNT W/TEFLON	\$6.67
3869-60825	LOC 30561	1PT CAN, THRD SLNT W/TEFLON	\$16.67

**Thread Sealants - Teflon Tape**

EDP#	Item Code	Description	Price
1294-00200	ARG 1/2 X 520	1/2"X520"TEFLON THREAD SEAL	\$1.51

*Pipe Stick - Markal Pipetite-Stik®*



Non-toxic, lead-free thread compound in handy stick form. Use on metalthreads - seals up to 350°F; pressures to 2000 psi. For water, steam, air, and natural gas service - not for oxygen, chlorine, or other oxidizers.

EDP#	Item Code	Description	Wt.	Price
4011-61011	MARKAL 11175	PIPETITE STIK PIPE CMPD	0.10	\$2.20

**ThreadLocking Sticks - Loctite**

*Threadlocker Sticks - Loctite 248 Medium Strength*



Medium strength threadlocker eliminates loosening from vibration, shock, and thermal expansion. More reliable and cost effective than conventional mechanical fasteners. Prevents rust & corrosion while sealing and protecting threads. Removable with hand towel. Fixture cures in 10 minutes @ 70°F (22°C). Fully cured in 24 hours @ 70°F (22°C). Temp resistance 300°F (150°C). Breaks loose at 138lb of touque. Blue color.

EDP#	Item Code	Description	Price
3869-00100	LOC 37087	THREADLOCKER, 248 MEDIUM 19 GRAM	\$30.30
3869-00500	LOC 37684	THREADLOCKER, 248 MEDIUM 9 GRAM	14.36

*Threadlocker Stick-Loctite 268 High Strength Red*

High strength threadlocker eliminates loosening from vibration, shock, and thermal expansion. More reliable and cost effective than conventional mechanical fasteners. Prevents rust & corrosion while sealing and protecting threads. Requires localized heat. Fixture cures in 10 minutes. Fully cured in 24 hours . Temp resistance 300°F (150°C). Breaks loose at 360lb of touque. Red color.

EDP#	Item Code	Description	Price
3869-00600	LOC 37685	THREADLOCKER, 268 HIGH 9 GRAM	\$14.36
3869-00700	LOC 37686	THREADLOCKER, 268 HIGH 19 GRAM	\$30.30

Lubrication



**ADHESIVES & SEALANTS**

**ThreadLocking Sticks - Loctite**

*Threadlocker Stick with Teflon® -  
Loctite PST® 561*



Immediate low pressure sealing to 100 psi. Controlled lubricity prevents galling. Protects threaded areas from rust and corrosion. Provides exceptional fluid compatibility and chemical resistance. Will not contaminate or clog lines. Eases disassembly. Max pressure resistance 10,000 psi. Cures in 24 hours. Fully cured in 72 hours. Temp resistance 300°F (150°C). Breaks loose at 410lb of torque. White color.

EDP#	Item Code	Description	Price
3869-00200	LOC 37127	THREAD SEALANT PST 561 - 19 GRAM	\$13.54

*Anti-Seize Stick - Loctite C5-A® Copper*



Protects metal parts in high heat environments up to 1800°F. Prevents rust, corrosion, seizing, and eases disassembly. Reduces friction and wear to critical parts. Buttery texture ideal for both coarse and fine threads. Exceptional lubrication properties. K Value 0.164. Key specs MIL-PRF-907E. Copper color.

EDP#	Item Code	Description	Price
3869-00300	LOC 37229	LUBRICANT,C5-A COPPER ANTI-SEIZE - 20 GRAN	\$6.40

*Anti-Seize Stick - Loctite Silver Grade*



Protects metal parts in high heat environments up to 1600°F. Prevents rust, corrosion, seizing, and eases disassembly. Reduces friction and wear to critical parts. Buttery texture ideal for both coarse and fine threads. Exceptional lubrication properties. K Value 0.181. Key specs MIL-PRF-907E. Silver color.

EDP#	Item Code	Description	Price
3869-00400	LOC 37230	LUBRICANT,SILVER ANTI-SIEZE - 20 GRAM	\$6.29

**John Day Company**

**PAINT, SUPPLIES & EQUIPMENT**

**Paint**

**Paint - Rust-Oleum® High Performance**

*Rust-Oleum Industrial Enamel Aerosol Hard Hat®  
V2100/2200 System*



The ultimate spray paint for metal. Maximum corrosion protection. Fast dry. Better gloss retention, coverage and dry time than other industrial rust-preventive spray paints. Superior resistance to chipping, cracking and peeling. Higher paint solids. Superior coverage. 15 oz net wt can.

EDP#	Item Code	Description	Price
--	RUST V2170838	ALMOND	Call
5497-00200	RUST V2171838	TAN	\$8.15
--	RUST V2175838	CHESTNUT BROWN	Call
5497-01900	RUST V2125838	DEEP BLUE	\$8.15
5497-15100	RUST V2123838	LIGHT BLUE	\$8.15
--	RUST V2137838	DARK GREEN	Call
--	RUST V2134838	BRIGHT GREEN	Call
5497-15300	RUST V2138838	HUNTER GREEN	\$8.15
5497-02000	RUST V2147838	INDUSTRIAL YELLOW	\$8.15
--	RUST V2148838	EQUIPMENT YELLOW	\$8.15
--	RUST V2156838	EQUIPMENT ORANGE	Call
--	RUST V2164838	BRIGHT RED	Call
--	RUST V2124838	SAFETY BLUE	Call
5497-15200	RUST V2133838	SAFETY GREEN	\$8.15
5497-ZZ003	RUST V2155838	SAFETY ORANGE	Call
--	RUST V2167838	SAFETY PURPLE	Call
5497-02100	RUST V2163838	SAFETY RED	Call
5497-15400	RUST V2143838	SAFETY YELLOW	\$8.15
5497-14900	RUST 2233838	FLUORESCENT GREEN	\$8.15
5497-14200	RUST 2255838	FLUORESCENT ORANGE	\$9.62
5497-14600	RUST 209568	FLUORESCENT PINK	\$9.62
5497-15000	RUST 2264838	FLUORESCENT RED	\$9.62
--	RUST 2242838	FLUORESCENT YELLOW	Call
--	RUST 209565	ANODIZED BRONZE	Call
5497-00500	RUST V2187838	PAINT, DARK MACHINE GRAY,	\$8.15
--	RUST V2184838	DOVE GRAY	Call
--	RUST V2183838	LIGHT MACHINE GRAY	\$8.15
--	RUST V2188838	SMOKE GRAY	Call
5497-10100	RUST V2115838	SILVER ALUMINUM	\$8.15
--	RUST V2119838	STAINLESS STEEL	Call
5497-13300	RUST V2179838	GLOSS BLACK	\$8.15
5497-13200	RUST V2178838	FLAT BLACK	\$8.15
--	RUST V2177838	SEMI-GLOSS BLACK	Call
--	RUST V2190838	FLAT WHITE	Call
--	RUST 209567	SEMI-GLOSS WHITE	Call
5497-00400	RUST V2192838	GLOSS WHITE	\$8.15
--	RUST V2196838	FLEET WHITE	Call
--	RUST V2102838	CRYSTAL CLEAR	Call

*Your Midwest  
Distributor for  
over 100 Years*



**PAINT, SUPPLIES & EQUIPMENT**

**Paint**

**Paint - Rust-Oleum® High Performance**

*Rust-Oleum Industrial Enamel Primer Aerosol-Hard Hat® V2100 System Primers*



Better corrosion protection than other industrial rust-preventive spray primers. Fast-drying, topcoat any time. Superior adhesion - use on rusted, bare or previously painted metal. 15 oz net wt can.

EDP#	Item Code	Description	Price
5497-14000	RUST V2169838	RED PRIMER	\$8.15
5497-13400	RUST V2182838	GRAY PRIMER	\$8.15
--	RUST 209566	WHITE CLEAN METAL PRIMER	Call

**Paint - Industrial Choice® by Rust-Oleum®**

*Industrial Choice Enamel Aerosol*



A multi-purpose spray paint for everyday industrial applications. Fast dry - in 12 minutes or less. High-solids content provides faster, further coverage. Protects against chipping, fading and peeling. Higher gloss than lacquer-based aerosols. 12 oz net wt can.

EDP#	Item Code	Description	Price
5497-ZZ001	RUST 1672830	ALMOND	\$4.98
--	RUST 1671830	BEIGE	Call
5497-11200	RUST 1674830	LEATHER BROWN	\$4.98
5497-16400	RUST 1626830	TRUE BLUE	\$4.98
--	RUST 1622830	REGAL BLUE	Call
--	RUST 1638830	HUNTER GREEN	Call
--	RUST 202211	MACHINE GREEN	Call
5497-01600	RUST 1643830	SCHOOL BUS YELLOW	\$5.34
--	RUST 202212	SUN YELLOW	Call
--	RUST 202216	DUSTY PINK	Call
5497-16600	RUST 1666830	BANNER RED	\$5.34
--	RUST 1664830	CHERRY RED	Call
5497-16200	RUST 1624830	SAFETY BLUE	\$4.98
--	RUST 1633830	SAFETY GREEN	Call
5497-11000	RUST 1653830	SAFETY ORANGE	\$5.34
5497-00300	RUST 1670830	SAFETY PURPLE	\$5.34
5497-11100	RUST 1660830	SAFETY RED	\$4.98
5497-10900	RUST 1644830	SAFETY YELLOW	\$4.98
--	RUST 1655830	FLUORESCENT RED-ORANGE	Call
--	RUST 1632830	FLUORESCENT GREEN	Call
--	RUST 1654830	FLUORESCENT ORANGE	Call
--	RUST 1659830	FLUORESCENT PINK	Call
--	RUST 1642830	FLUORESCENT YELLOW	Call
--	RUST 1686830	UNIVERSAL GRAY	Call
5497-14100	RUST 1684830	DOVE GRAY	\$5.34
5497-11400	RUST 1688830	SMOKE GRAY	\$5.34
--	RUST 202214	MACHINERY GRAY	Call
--	RUST 1614830	DULL ALUMINUM	Call
5497-16100	RUST 1679830	GLOSSY BLACK	\$4.98
5497-01700	RUST 1676830	ULTRA-FLAT BLACK	\$5.34
--	RUST 1678830	SEMI-FLAT BLACK	Call
5497-11500	RUST 1692830	GLOSSY WHITE	\$5.34
--	RUST 1690830	FLAT WHITE	Call
--	RUST 1696830	ANTIQUÉ WHITE	Call
--	RUST 1610830	CRYSTAL CLEAR	Call

**PAINT, SUPPLIES & EQUIPMENT**

*Industrial Choice Enamel Primer Aerosol*

Provides a solid base for adhesion of topcoat. Wet or dry sandable. Fast-drying, indoor/outdoor. Use on bare or painted wood, metal, masonry and more. 12 oz net wt can.

EDP#	Item Code	Description	Price
5497-01000	RUST 1667830	RED PRIMER	\$5.34
5497-11300	RUST 1680830	GRAY PRIMER	\$5.34
--	RUST 1681830	WHITE PRIMER	Call
--	RUST 202213	GREEN RUST INHIBITIVE PRIMER	Call

**LUBRICATION PRODUCTS**

**Lubricants**

*Lubricant - LPS Force 842™ Dry Moly*



Works under high temperatures - 842° F (450° C) and pressures - 100,000 psi (6890 Bars). Prevents seizure of parts. High adhesion. For assembly and break-in lubrication, Excellent for cables. Resists dust and dirt. Water and chemical resistant. Provides a quick drying thin film. Not recommended for friction bearings or light-duty bearings.

EDP#	Item Code	Description	Price
3906-46106	LPS 02516	CS=12 11OZ FORCE 842 LUBE	\$19.69

*Lubricants-Greaseless - LPS® 1*



Displaces moisture, making it ideal for drying out electrical/electronic components. Dries fast and resists oil, dust and dirt build-up. Provides a dry, thin lubricating film. Fast acting penetration. Loosens rusted or frozen parts. Provides short term light corrosion resistant barrier. Resists film build-up. Nonflammable propellant. Ideal for delicate mechanisms. Safe on rubber, paint and most plastics. Used worldwide in aviation. Protects tools from rust. Inverta spray valve. Contains ingredients which dissolve and remove greases and oils from delicate mechanisms.

EDP#	Item Code	Description	Case	Price
3906-40106	LPS 00116	LPS #1 11 OZ	12	\$13.07
3906-43306	LPS 01128	LPS#1 1GAL GREASELESS	4	\$48.25
3906-00606	LPS 00105	LPS#1 5GAL GREASELESS LUBE	1	\$215.27

Lubrication



**LUBRICATION PRODUCTS**

**Lubricants**

*Lubricants All Purpose LPS TKX*



All-Purpose Penetrant, Lubricant and Protectant:  
Excellent all purpose lubricant. Displaces moisture. Loosens rusted or frozen parts., Protects against corrosion. High flash point of 175°F (79°C). Does not contain chlorinated solvents or silicones. Nonconductive. Safe on fabric, plastic, paint and other finishes. Inverta spray valve.

EDP#	Item Code	Description	Price
3906-45906	LPS 02016	11OZ TKX ALL PURPOSE	\$6.20
3906-54006	LPS 02028	1-GAL TKX ALL PURPOSE	\$33.94

*Lubricant Multi-Purpose - WD-40*



Frees sticky mechanisms and penetrates to free up frozen or rusted metal parts and fasteners. Keeps controls and linkages working freely. Gets under water, drives it off and keeps it off. Being a non-conductor, W-D 40 can be used to dry out electrical and electronic equipment. Finds and lubricates squeaks in had-to-get-at mechanisms. Silicone free, which means no messy, gummy residue. Lubricates and protects against moisture and corrosive elements. Removes grease, grime, tar, adhesives, gum.

EDP#	Item Code	Description	Price
6701-80101	WD40 11005	8 OZ CAN MP LUBRICANT	\$8.26
6701-80501	WD40 11007	11 OZ CAN MP LUBRI	\$10.51
6701-00200	WD40 10024	18 OZ. BIG BLAST	\$12.21
--	WD40 10117	5 GAL CAN MP LUBRICANT-BULK	Call
--	WD40 10118	55 GAL DRUM WD40 MP LUBRICANT-BULK	Call
6701-80901	WD40 10010	GAL CAN MP LUBRICANT	\$38.71
6701-81301	WD40 10000	SPRAY APPLICATOR	\$5.94

*Oil Multi-Purpose 3-In-One*



Frees sticky mechanisms and penetrates to free up frozen or rusted metal parts and fasteners. Keeps controls and linkages working freely. Lubricates, cleans and prevents rust. Precise, easy-to-use drip spout enables precise lubrication, with no overspray or splatter.

EDP#	Item Code	Description	Wt.	Price
6701-81600	WD40 10035	3-IN-1,MULTI-P OIL,3OZ DRIP	0.29	\$2.78

**LUBRICATION PRODUCTS**

**Oils**

*Lubricants Industrial Strength No. LPS® 2*



Strong, multi-purpose lubricant and penetrant with added corrosion protection. Provides a nondrying, light, oily film for use on indoor/outdoor equipment. Displaces moisture. Reduces wear caused by friction and corrosion. Loosens rusted or frozen parts. Provides up to one year protection. Nonflammable propellant. Nonconductive. Safe on rubber, paint and most plastics. Used worldwide in aviation. Inverta spray valve.

EDP#	Item Code	Description	Case	Price
3906-40906	LPS 00216	LPS #2 11 OZ GP	12	\$12.96
--	LPS 02128	LPS #2 1 GAL	4	Call
--	LPS 00205	LPS #2 5 GAL	1	Call

**Penetrants**

EDP#	Item Code	Description	Price
3906-01206	LPS 02316	KB88 PENETRANT 13 OZ.	\$13.16

*Penetrant - LPS LST*



Specially formulated with low surface tension for fast penetrating action. Attacks rust and corrosion to free frozen parts. Powerful foaming action provides complete surface coverage. Displaces moisture. Lubricates and protects metal surfaces. Flash Point of 175°F (79°C). No chlorinated solvents.

EDP#	Item Code	Description	Price
3906-45706	LPS 01916	11OZ LST PENETRANT	\$9.26
--	LPS 01928	1 GAL LST PENETRANT	Call

*Chain and Wire Rope Lubricant - LPS Chain Mate™*



Effective under extreme temperature and pressure range. Fortified with molybdenum disulfide. Deep penetration to the core of wire rope. High adhesion. Lubricant and corrosion protectant. Use with guards in place to eliminate costly down time. Increases chain and wire rope life. Reduces war caused by friction and corrosion. Wet moly lubricant.

EDP#	Item Code	Description	Wt.	Price
3906-54406	LPS 02416	11OZ CHAIN MATE LUBE	1.17	\$14.63



**LUBRICATION PRODUCTS**

**Penetrants**

*Liquid Wrench® Super Penetrant*



A powerful blend of quick-acting, fast penetrating solvents that loosens rusted nuts, bolts, and parts in seconds.

EDP#	Item Code	Description	Wt.	Price
5227-80127	RAD L112	12-OZ LIQUID WRENCH	1.00	\$6.49
5227-80527	RAD L116	1-PT LIQUID WRENCH	1.33	\$9.16

**Silicones**

*Silicone Lubricant - LPS Heavy Duty*



Ideal for surfaces like elastomers and plastics where petroleum products are unsuitable. Silicone-rich formula. Water-based formula. Colorless and odorless. Excellent lubricity. Eliminates sticking, binding and squeaking. Dry, nonstaining. Safe on most surfaces.

EDP#	Item Code	Description	Wt.	Price
3906-40506	LPS 01516	13OZ HD SILICONE LUBE	1.17	\$12.56

*Silicone Lubricant - LPS Dry Film*



Dry film will not attract dust or dirt. Nonflammable. Provides excellent lubrication. Excellent for releasing molded parts. Excellent for high temperature applications up to 500°F (260°C). Colorless, thin film. Does not contain chlorinated solvents.

EDP#	Item Code	Description	Price
3906-59506	LPS 01616	12 OZ. LPS DRY FILM (340 GRAMS)	\$11.88

Call Ag Sales for  
your lubrication needs at  
800-767-2273

**SPECIALTY FLUIDS**

**Contact Cleaners**

*LPS Micro-X Contact Cleaner*



Micro-X is ideal for the removal of grease, dirt and oil from delicate precision electrical, electronic and mechanical parts. Micro-X does not contain CFCs, HCFCs or 1, 1, 1 trichloroethane. Micro-X fast evaporating contact cleaner is flammable.

EDP#	Item Code	Description	Wt.	Price
3906-54906	LPS 04516	11OZ MICRO-X CONTACT	1.17	\$13.86

*LPS CFC-Free Electro Contact Cleaner*



Cleans electrical/electronic components and delicate mechanisms. Penetrates and removes light greases, oils, dirt and organic soils. Safe on rubber, paint, plastic, metal, fabric and glass surfaces. Leaves no residue, evaporates completely. Non-conductive.


EDP#	Item Code	Description	Wt.	Price
3906-47706	LPS 03116	11OZ CFC FREE ECC	0.69	\$19.64
3906-46906	LPS 03101	1GAL CFC FREE ECC	5.60	\$98.16

*LPS NoFlash Electro Contact Cleaner*



No flash point. Nonflammable - Nonconductive. No rinsing and no residue. Quick penetration. Quick evaporation. Superior wetting action. Safe to use on most surfaces - may be harmful to some plastics. Inverted spray valve.

EDP#	Item Code	Description	Wt.	Price
3906-49706	LPS 04016	15OZ NOFLASH ECC	1.25	\$33.79





**SPECIALTY FLUIDS**

**Contact Cleaners**

*LPS PSC Plastic Safe Cleaner*



Formulated for contact cleaning. Nonflammable. Nonconductive. No residue. Displaces moisture. Fast evaporating. Inverta spray valve allows one to spray in an upright or inverted position.

EDP#	Item Code	Description	Wt.	Price
3906-59006	LPS 04620	18 OZ PSC ELEC CLEANR	1.42	\$64.75

*LPS Electro 140° Contact Cleaner*



Flash point above 140° F (60°C). Controlled Evaporation. No rinsing and no residue. Precision Cleaning. Nonconductive. Safe to use on most surfaces. Low Odor. Inverta Spray Valve. Meets or exceeds these specs: Boeing D6-17487 Rev. H, Learjet LAS 1239.

EDP#	Item Code	Description	Wt.	Price
3906-42906	LPS 00916	11OZ ELECTRO 140° CC	14.00	\$14.89

*3M High Power Brake Cleaner*



3M 08880 Brake Cleaner is a solvent blend cleaner for automotive related applications. High Power Brake Cleaner is designed to remove oil, grease, brake fluid and other contaminants from all types of brake assemblies and parts without disassembling the unit. 3M 08880 leaves no residue and will eliminate disc brake squeal and "chatter".

Applications:

- Brake linings
- Brake Drums
- Cylinders
- Caliper units
- Disc brake pads
- Other related parts
- Leak detection
- Shop/Service/Maintenance
- Grease/grime removal

Note: Use in well ventilated area above 60° F. Clear, colorless, solvent odor. This is not a Low VOC product.

EDP#	Item Code	Description	List Price
1004-13700	3MIND 08880	High Power Brake Cleaner 20 oz. aerosol, 12/case	\$3.93

**SPECIALTY FLUIDS**

**Degreaser Cleaners**

*LPS PreSolve®*



Especially suited for cleaning parts and equipment & removing grease, adhesives, tars, and oils. High performance citrus based cleaner. Nonflammable propellant. Nonconductive. Natural-based solvent. Does not contain 1,1,1 trichloroethane. No rinsing and no residue. Controlled evaporation. Fast acting, deep penetration. Safe on all metals and most plastics. Inverted spray valve.

EDP#	Item Code	Description	Wt.	Price
3906-44906	LPS 01420	LPS 15 OZ PRESOLVE	1.50	\$ 17.58
3906-45306	LPS 01428	1GAL PRESOLVE	9.25	\$113.10
--	LPS 01405	5 GAL PRESOLVE	--	Call

*LPS BFX All-Purpose*



Water-based. Butyl-free. Biodegradable. Noncorrosive. Removes grease and oil. Rinses clean. Ideal for parts washers and pressure washers. Safe on most surfaces except magnesium.

EDP#	Item Code	Description	Price
3906-00506	LPS 05528	CLEANER,ALL PURPOSE,BFX 28	\$9.77

*LPS Citrus*



High performance industrial degreaser which cleans on contact. Fast acting on grease, oil and sludge. Natural based. Does not contain chlorinated solvents. Flash point above 100°F (38°C). Safe on all metals and most plastics. Inverted spray valve.

EDP#	Item Code	Description	Price
3906-00106	LPS 05020	15 OZ. LPS CITRUS DEGREASER	\$12.03

*LPS TriFree Brake Cleaner*



Heavy-duty performance. Compliant to California V.O.C. regulations. Improves brake performance. Helps stop disc brake squeal. Fast evaporation. Nonconductive. High solvency. Powerful jet spray. Does not contain 1, 1, 1 trichloroethane. No rinsing and no residue.

EDP#	Item Code	Description	Price
3906-49306	LPS 03620	15OZ TRI FREE BRAKE CLNR	\$18.26

Lubrication





**SPECIALTY FLUIDS**

*Degreaser Cleaners*

EDP#	Item Code	Description	Price
1004-13700	3MIND 08880	HIGH POWER BRAKE CLEANER	

**Degreaser Cleaners**

*LPS ZeroTri Super*



Heavy-duty performance. Compliant to California V.O.C. regulations. Improves brake performance. Helps stop disc brake squeal. Fast evaporation. Nonconductive. High solvency. Powerful jet spray. Does not contain 1, 1, 1 trichloroethane. No rinsing and no residue.

EDP#	Item Code	Description	Wt.	Price
3906-48906	LPS 03520	15OZ ZEROTRI CLNR/DEG	1.50	\$21.89

*LPS Instant Super Degreaser II*



Excellent degreaser for removing greases and oils. Nonflammable. Fast evaporating. Does not contain chlorinated solvents. Nonconductive. No residue. Safe on all metals. Inverted spray valve.

Item Code	Description	Price
LPS 00719	19 OZ. LPS INSTANT SUPER DEGREASER	\$29.99

*LPS HDX Heavy-Duty Degreaser*



Heavy-duty action removes oil, grease, wax, dirt, moisture, tar, brake fluid and other contaminants. Nonflammable. Fast evaporating. Low odor. Quick penetration. No residue. Nonconductive.

EDP#	Item Code	Description	Wt.	Price
3906-58906	LPS 01020	19 OZ. HDX DEGREASER	1.50	\$10.19

*LPS HDX II Heavy-Duty Degreaser*



Penetrating action removes oil, grease, tar, resins, corrosion inhibiting compounds and other contaminants. Contains no chlorinated solvents. Very low odor. Can be used in parts washers, dip tanks, and ultrasonic cleaners. Safe to use on most surfaces.

EDP#	Item Code	Description	Price
3906-00306	LPS 03020	DEGREASER, HDXII HD, 15 OZ.	\$15.07

**SPECIALTY FLUIDS**

**Cutting Fluids**

*LPS Tapmatic Natural*



Nontoxic, nonhazardous and biodegradable. Does not irritate the skin, eyes or respiratory tract. Does not contain 1,1,1 trichloroethane, sulfur, chlorine, chlorinated solvents, water, mineral oil or inactive fillers. High performance lubricating ability eliminates galling and seizing. Safe on all metals. Great for steel and aluminum.

EDP#	Item Code	Description	Wt.	Price
3906-52106	LPS 44220	16OZ TAPMATIC NATURAL	1.30	\$14.04
3906-54306	LPS 44230	1GAL TAPMATIC NATURAL	8.50	\$74.95

*LPS Tapmatic AquaCut*



Water-based cutting fluid that extends tool life and reduces friction, heat, and tool failure. Provides clean cuts and fine finishes. Designed for use on steel, aluminum, and other metals, except magnesium. Does not contain any sulfur, chlorine, methylene chloride, or 1,1,1 trichloroethane; nonflammable. Corrosion inhibitors prevent flash rusting.

EDP#	Item Code	Description	Wt.	Price
3906-44106	LPS 01216	LPS 16OZ TAPMATIC	1.08	\$12.74
3906-00706	LPS 01228	AQUA CUT 1-GLA CS=4	--	\$55.40
--	LPS 01205	5 GAL TAPMATIC AQUACUT	--	Call

*LPS Tapmatic #1 Gold*



Great for hard to machine metals. Excellent for low speed, high pressure applications. Minimizes torque increases. Does not contain 1,1,1 trichloroethane, chlorinated paraffins, water, solvents or inactive fillers. Aerosol provides a pinpoint stream with foaming action. Safe on all metals.

EDP#	Item Code	Description	Price
3906-51306	LPS 40320	16OZ TAPMATIC #1 GOLD	\$15.25
3906-51706	LPS 40330	1GAL TAPMATIC #1 GOLD	\$77.48

Call Agricultural Sales at

800-767-2273



**COOLANTS, METALWORKING  
CHEMICALS**

**Cutting Fluids**

*LPS Tapmatic® TriCut*



Available in liquid or paste. Suitable for most metals. Not recommended for aluminum. Extends tool life. Improves surface finish. Allows increased removal rates. Reduces friction. Flows directly to cutting edge. Suitable for high and low speed applications.

EDP#	Item Code	Description	Price
3906-58206	LPS 05316	16 OZ TAPMATIC TRICUT	\$21.32
--	LPS 05328	TAPMATIC TRICUT 1 GAL LIQUID	Call

*New Rapid Tap® Cutting Fluid*



Greatly extended tool life. Super-fine machined finish in operation after operation. Anti-mist protection for a healthier work environment. No special labeling or reporting. Excels in tough materials. Contains no 1,1,1-trichloroethane or other ozone-depletions.

EDP#	Item Code	Description	Wt.	Net
4683-15000	RELTON 04ZNRT	"NEW" RAPID TAP 4OZ. CAN	0.50	\$2.50
4683-15100	RELTON PNTNRT	"NEW" RAPID TAP 1PINT CAN	1.67	\$7.75
4683-14900	RELTON 01GNRT	"NEW" RAPID TAP 1GAL.	12.00	\$44.00

**SPECIALTY FLUIDS**

**Galvanizing Compounds**

*LPS Cold Galvanize*



95% Zinc-rich galvanized coating. Commonly used as a flash rust preventative on welded areas. Works like a hot-dip on ferrous metals indoors and out. Long term protection. Withstands water temperature up to 212° F (100° C) and continuous dry heat up to 750° F (400° C). Flexible coating will not yellow, chalk, crack or peel. Electrochemically protects bare metal.

EDP#	Item Code	Description	Wt.	Price
3906-42106	LPS 00516	16OZ COLD GALVANIZE	1.25	\$19.51

**SPECIALTY FLUIDS**

**Cleaners**

*LPS Precision Clean Multi-Purpose*



Water-based biodegradable formula. Removes tough, stubborn stains and soils such as grease, oil, sludge, soot, ink, coffee and more. Does not contain chlorinated or petroleum solvents, bleach, ammonia, abrasives or butyl. Contains a corrosion inhibitor to help prevent flash rusting. Super industrial-strength. Nonflammable. Safe on all surfaces. Rinses clean. Foaming action clings to surfaces.

EDP#	Item Code	Description	Wt.	Price
3906-00806	LPS 02720	20 OZ. CAN PRECISION		\$11.66
--	LPS 02728	28 OZ TRIGGER - READY-TO-USE		Call
3906-46506	LPS 02701	1GAL CONC PREC CLEAN	9.50	\$40.99
--	LPS 02705	5 GAL-CONCENTRATE		Call

**Corrosion Inhibitors**

*LPS® 3 Heavy-Duty*



Protects up to two years. Stops rust and corrosion. Provides non-sling lubrication. Nonflammable propellant. Self-healing, waxy film. Provides anti-seize coating. Safe to use on rubber, fabric, plastics and paints. Resists moisture. Commonly used for protection of parts in storage.

EDP#	Item Code	Description	Wt.	Price
--	LPS 00355	55 GAL. LPS #3 HD RUST	--	Call
3906-41706	LPS 00316	LPS#3 11OZ HD RUST	1.00	\$ 17.03
3906-48106	LPS 03128	LPS#3 1GAL HD RUST	7.25	\$ 77.44
3906-41306	LPS 00305	LPS#3 5GALHD RUST INHIBITOR	37.00	\$318.21
--	LPS 00322	LPS#3 20 OZ TRIGGER SPRAY	--	Call

*LPS Red & Redi Multi-Purpose Red*



Delivers excellent lubrication. Prevents rust, corrosion and oxidation. Red color allows easy visual inspection. Remains effective at extremely high temperatures 550° F (288° C). Penetrates quickly. Reduces friction and vibration. Resists shock.

EDP#	Item Code	Description	Price
3906-58306	LPS 05816	11 OZ RED & REDI	\$10.80

Lubrication



**SPECIALTY FLUIDS**

*LPS White Lithium Multi-Purpose White*



Rapidly forms into a pure white grease that will not melt or wash away. PTFE additives for superior lubrication. NLGI grade: number 2. Provides maximum lubrication. Rust and oxidation inhibitors protect metal. Pure white color allows easy visual inspection.

EDP#	Item Code	Description	Price
3906-59606	LPS 03816	10 OZ. (284 GRAMS) WHITE LITH MP	Call

*LPS ThermaPlex Multi-Purpose Bearing*



Long life. Excellent load carrying properties. Extends re-lubrication periods. Prolongs bearing life. Good corrosion resistance. Ideal for lubricating all types of bearings. Reduces grease consumption. Also available in 5, 16, and 55 gallon containers.

EDP#	Item Code	Description	Wt.	Price
3906-57306	LPS 70614	14 OZ MULTI-PURP BEARING GREASE	1.04	\$6.97

*LPS ThermaPlex Hi-Temp Bearing*



Excellent high temperature performance. Resists carbonization at high temps. Very high dropping point. Extends relubrication intervals. Reduces grease consumption. Reduces risk of bearing failure at high temps. Very good vibration resistance. Reduces need for multiple greases. Ensures optimal production rates. Smooth, brown past, mild odor. Max temperature 392°F (200°C). Also available in 5, 16 and 55 gallon containers.

EDP#	Item Code	Description	Wt.	Price
3906-55706	LPS 70214	14 OZ HI-TEMP BEARING GREASE	1.04	\$12.54

*LPS ThermaPlex Aqua Bearing*



Aqua is formulated to withstand the effects of running water and to provide long lasting lubrication even when fully submerged in fresh or salt water. Excellent resistance to fresh and salt water. Resists water washout. Good adhesion properties.

•Excellent corrosion resistance. Significant load carrying capability. Reduces wear. Reduces grease consumption. Greater degree of bearing protection. Also available in 5, 16 and 55 gallon containers.

EDP#	Item Code	Description	Wt.	Price
3906-56906	LPS 70514	14 OZ AQUA BEARING GREASE	1.04	\$6.67

**SPECIALTY FLUIDS**

*LPS ThermaPlex FoodLube Bearing*



USDA H1 Category approved. Uses only FDA listed ingredients. Ensures safety in areas where incidental food contact may occur. High degree of water resistance. Excellent corrosion protection. Very good load capacity. Increases lubrication intervals. Does not contain mineral oil, solvents or silicone. Nontoxic, constricting and nonemulsifying. White colored paste, mild odor. Also available in 5, 16 and 55 gallon containers.

EDP#	Item Code	Description	Wt.	Price
3906-55306	LPS 70114	14 OZ FOOD LUBE BEARING GREASE	1.04	\$10.36

*LPS ThermaPlex Hi-Load Bearing*



Contains 3% moly. Excellent Load carrying ability. Withstands shock loading. Reduces wear from vibration. Good corrosion resistance. Excellent anti-wear properties. Wide operating temperature range. Reduces maintenance costs. Blue/black colored paste, petroleum odor. Temperature range -22°F (-30°C) to 302°F (150°C). Also available in 5, 16 and 55 gallon containers.

EDP#	Item Code	Description	Wt.	Price
3906-56506	LPS 70414	14 OZ HI-LOAD BEARING GREASE	1.04	\$8.87

**Welding Supplies**

*LPS Anti-Spatter*



Safe, water-based formula. Excellent spatter protection. Nontoxic. Nonflammable. Does not contain suspect carcinogens, such as methylene chloride. Does not contain silicone. Paint compatible. Oversized nozzle for easy use with welding gloves.

EDP#	Item Code	Description	Wt.	Price
3906-54206	LPS 02116	LPS 13OZ ANTI-SPATTER	1.25	\$12.76

*For More Information on These LPS Products  
Call Agricultural Sales at the  
John Day Company at  
800-767-2273.*



**MISCELLANEOUS CLEANERS**

**Canned Air**

*LPS QB Precision Duster*



Quick blast precision duster removes contaminants, dirt, dust and other soils. Moisture free. No residue, Nonflammable. Nonabrasive. Odorless.

EDP#	Item Code	Description	Wt.	Price
3906-54506	LPS 05710	CS=12 10 OZ QB PRECISION	1.00	\$29.74

*Ballfoot Type Air Chucks*



EDP#	Item Code	Description	Net
5278-61478	DIXON D104	AIR CHUCK 1/4" FNPT	\$4.09

**Pneumatic Quick Couplers**

**Quick Couplers - Tomco**

*Couplers - Lincoln Interchange*



EDP#	Item Code	Description	Thread	Price
6182-35382	TOMCO 1100	CPLR W/1/4" FPT	1/4 N.P.T.	\$9.37
6182-35782	TOMCO 1109	PLUG W/1/4" MPT	1/4 N.P.T.	\$2.03
6182-36182	TOMCO 1110	PLUG W/1/4" FPT	1/4 N.P.T.	\$2.03

*Pre-Made Air Hose Assemblies*

EDP#	Item Code	Description	Price
3681-67008	KURI 1425B	1/4"X25' BLUE AIR HOSE ASSY	\$18.95
3681-67308	KURI 1450B	1/4"X50' BLUE AIR HOSE ASSY	\$33.37
3681-67608	KURI 3825B	3/8"X25' BLUE AIR HOSE ASSY	\$24.66
3681-67908	KURI 3850B	3/8"X50' BLUE AIR HOSE ASSY	\$42.30

*Universal Coupler*



EDP#	Item Code	Description	Body Size	Thread Size	Price
4796-63996	PARK SPUC304F-4	SGLE PACK FEMALE UNIV CPLR	1/4"	1/4-18 FEMALE	\$ 13.16
4796-64196	PARK SPUC304M-4	SINGLE PACK MALE UNIV CPLR	1/4"	1/4-18 MALE	\$ 13.24
4796-64396	PARK SPUCN304F-4	MALE NIPPLE AND COUPLER	1/4"	1/4-18 FEMALE	\$ 14.89
6182-37782	TOMCO 1805	CPLR W/1/4" FPT	1/4"	1/4-18 FEMALE	\$ 1.26
6182-37382	TOMCO 1804	CPLR W/1/4" FPT	1/4"	1/4-18 MALE	\$ 1.16

**Pneumatic Quick Couplers**

*Safetyguard Air Gun*



EDP#	Item Code	Description	Price
2939-01700	GUARCO 74NRT	BLOW GUN BRASS FITTING W/RUBBER TIP	Call
2939-01300	GUARCO 970	BH SAFETY AIR GUN/HOOK	\$12.63
2939-01100	GUARCO 80WJ	WHISPER JET SAFETY AIR GUN	\$26.59

*BG Series Pneumatic Blow Guns*



EDP#	Item Code	Description	Nozzle	Price
4796-83596	PARK BG442-SBL	BLOW GUN, LONG NOZZLE	EXTENDED	\$30.26
4796-83696	PARK BG444-SBL	BLOW GUN, SHORT NOZZLE	SHORT	\$28.77

**MARKING PRODUCTS**

**Markers**

*Markers - Ball Paint Marker®*



Marks with real paint, dries in 5 minutes. Marks on metal, wood, plastic, glass, any hard surfaces. Lead-free, non-toxic. Marks are weather- and fade-resistant. Unbreakable plastic bottle with 1/8" steel ball tip. Stores in pocket for easy access. Plastic cap keeps tip clean between jobs. Marking range -50°F top 150°F (-46°C to 66°C). Other colors also available.

EDP#	Item Code	Description	Wt.	Net
4011-65311	MARKAL 84620	WHITE 2 OZ BALL PAINT MARKR	0.21	\$6.95
4011-65711	MARKAL 84621	YELLOW 2 OZ BALL PAINT MRKR	0.21	\$6.95
4011-66111	MARKAL 84622	RED 2 OZ BALL PAINT MARKER		\$6.95

*Markers - #200 Lumber Crayons*



Also known as layout chalk or keel. Standard 1/2" hex shape fits Peterson No. 106, No. 108, and No. 109 holders. Lead free. Weather and fade-resistant; marks on cardboard, ceramics, concrete, lumber, metal, paper, plastics, and rubber. Packaged 12 of one color per box. Marking range -50°F to 150°F.

EDP#	Item Code	Description	Wt.	Net
4011-66411	MARKAL 80350	WHITE 200 LUMBER CRAYON		\$1.28
4011-62611	MARKAL 80351	YELLOW 200 LUMBER CRAYON	0.08	\$1.28
4011-64911	MARKAL 80352	RED 200 LUMBER CRAYON	0.08	\$1.28

Lubrication



## MARKING PRODUCTS

### Markers

#### Markers - Paintstik®



Real paint in stick form. Weather-resistant, UV-resistant. Ideal for layout, color coding, fabrication and identification. Marks through oil and water. Marks on smooth, rough, rusty, or dirty surfaces. For use on metal, wood, plastic, concrete, rubber, glass, cardboard, and paper. Lead-free, non-toxic. Size 11/16" x 3/4". Available in other sizes and colors including fluorescents. Please inquire.

EDP#	Item Code	Description	Wt.	Net
4011-61811	MARKAL 80220	WHITE 'B' PAINTSTIK	0.11	\$1.21
4011-66211	MARKAL 80221	YELLOW 'B' PAINTSTIK		\$1.27
4011-62211	MARKAL 80223	BLACK 'B' PAINTSTIK	0.11	\$1.32

#### Markers - Valve Action® Paint Marker



Marks with real paint, dries in 3 minutes. Nib releases paint as needed for continuous marking. Marks on all surfaces including metal, wood, glass, plastic, rubber, cardboard, and paper. Lead-free, low halogens.

Weather resistant. The fiber nib is replaceable to assure complete use of each marker. Durable metal barrel. Temperature range -50°F to 150°F. Also available in colors other than show. Please inquire.

EDP#	Item Code	Description	Wt.	Net
4011-64411	MARKAL 96820	WHITE VALV ACTN PAINT MRKR	0.11	\$4.24
4011-64611	MARKAL 96821	YELLOW VALV ACTN PAINT MRKR	0.11	\$4.24
4011-99901	MARKAL 96822	RED VALV ACTN PAINT MARKER	0.11	\$4.24
4011-64811	MARKAL 96823	BLACK VALV ACTN PAINT MRKR		\$4.24
4011-99902	MARKAL 96825	BLUE VALV ACTN PAINT MARKER	0.11	\$4.24
4011-67011	MARKAL 96826	GREEN VALV ACTN PAINT MARKER		\$4.24
4011-64211	MARKAL 96867	TIP FOR VLV ACTN PNT MRKR	0.02	\$ .50

#### Sharpie® Magnum® Marker



By Sanford-A division of Irwin Industrial Tools.

The 1/2" wool nib produces broad, bold strokes. Proven permanent on most surfaces. Highly water resistant and quick drying. 12 each per box. Black ink.

EDP#	Item Code	Description	Price
1356-01356	SANFORD 44001	MAGNUM 44 BLACK MARKER	\$3.59
1356-06456	SANFORD 30162-SH	SHARPIE MARKER, BLACK	\$2.27
1356-03156	SANFORD 15101-PP	KING SIZE MARKER, BLACK	\$1.64

Visit Us At [www.johnday.com](http://www.johnday.com)



**John Day Company**

Serving the Midwest  
From 3 convenient  
locations

Omaha, NE  
Milan, IL  
Redwood Falls, MN