



Brushes

Maintenance Brooms

Brooms, Osborn PRO Floor - Plastic Block



EDP No.	Item Code	Description	Fill Material	Trim Length	Price
1077-07400	ADV 89274	24" Econ Coarse Sweep Broom	Blue Polypro	3	\$15.54
1077-07800	ADV 89355	24" Econ Coarse Sweep Broom	Safety Orange Polypro	3-1/4	20.63
1077-07500	ADV 89320	18" Econ Coarse Floor Broom	Stiff Palmyra	4	9.04
1077-07600	ADV 89322	24" Garage Sweep Floor Broom	Stiff Palmyra	4	12.54
1077-07700	ADV 89351	16-7/16" Econ Push Broom	Red Palmyra	6-1/4	11.69
1077-08400	ADV 89377	515 17" Cora Broom	Cora	10-1/2	10.96

Brooms, Osborn PRO Medium Sweeping Floor

For smooth surfaces as well as rougher surfaces such as sidewalks and driveways. 2-3/4" trim length.

EDP No.	Item Code	Description	Fill Material	Price
1077-06900	ADV 89234	18" Synthetic Push Broom	Blue Polypro	\$11.28
1077-07200	ADV 89236	24" Med. Sweep Floor Brush	Black Polypro	15.78
1077-07300	ADV 89249	18" Economy Fine Sweep Broom	Black Tampico	11.45
1077-13700	ADV 89225	36" Med Sweep Floor Brush	Black Tampico	28.91

Broom Handles (Brooms Sold Separately)

Handle, PRO Wood Floor Brush

Natural finished wood with threaded end fits all Osborn PRO floor brushes.



EDP No.	Item Code	Description	Diameter	Wt.	Price
1077-12300	ADV 89883	5' Economy Wood Threaded Handle	15/16	1.00	\$3.71

Handle, Push Broom

Natural finish wood with tapered ends for use with all street brooms and squeegees. With Osborn Flexsweep heavy duty polymer brace.



EDP No.	Item Code	Description	Diameter	Wt.	Price
1077-12700	ADV 89897	4-1/2' Tapered Wood Broom Handle	1-1/8	1.17	\$4.16
1077-12800	ADV 89899	5' Tapered Wood Broom Handle	1-1/8	--	4.85
4734-00201	OSBORN 77006	5' Handle Wood w/Flex Sweep	1		7.24



Brushes

Maintenance Broom Handles (Brooms Sold Separately)

Handle, Push Broom

With threaded wood end or threaded metal attachment.



EDP No.	Item Code	Description	Diameter	Wt.	Price
1077-12700	ADV 89889	5' Metal-Tip Threaded Handle	15/16	1.22	\$4.16
1077-12400	ADV 89884	5' Heavy Threaded Wood Handle	1-1/8		4.45

Miscellaneous Broom Accessories

Handles and Braces

Brace, Floor Brush, Reusable

Sturdy, metal-plated (rust resistant) braces provide additional support and fit all handle sizes.



EDP No.	Item Code	Description	Brace	Price
1077-13100	ADV 89922	Wide Angle Brace	Full	\$3.66
1077-13000	ADV 89921	Clamp Style Brace	Handle	.89

Squeegees

Squeegee, Floor

Osborn Floor Squeegees feature a two-piece construction with heavy-gage, zinc-plated steel handles and retaining strips. Blades are 1/4" thick by 2" wide black neoprene rubber.



EDP No.	Item Code	Description	Price
1077-08300	ADV 89473	18" Straight Squeegee	\$22.04
1077-08400	ADV 89474	24" Straight Squeegee	25.84
1077-22002	ADV 89475	30" Squeegee w/metal	--
1077-08500	ADV 89478	24" Curved Squeegee	29.88



Brushes

Miscellaneous Broom Accessories

Cleaning Equipment - Parts Cleaning Brush

For cleaning motors, machinery and metal parts. 11" overall length.

EDP No.	Item Code	Description	Brush Diameter	Trim Length	Price
1077-09300	ADV 89612	Economy Parts Clean Brush	1-1/8	2-3/4	\$4.08



Counter Dusters

Duster, Master® Coarse Counter

Excellent shop brushes for heavier material removal, general factory and store dusting. Black tampico fill.

EDP No.	Item Code	Description	Trim Length	Price
1077-08200	ADV 89400	8" Counter Duster	2-1/2	\$6.44
1077-10100	ADV 89380	Whisk Broom	3	--
1077-06600	ADV 89390	8" Counter Broom	2-1/2	8.74



Brushes, Scratch

Brush, Curved Handle Scratch

6" brush length. 1-1/8" trim length.

EDP No.	Item Code	Description	Brush Area Width	Overall Lgth	Fill Material	Price
1077-06000	ADV 85004	Curved Handle Economy Scratch	15/16	13-3/4	Stainless Steel	\$4.89
1077-05900	ADV 85002	3 x 19 Carbon Scratch Brush	15/16	13-3/4	Steel	2.45
1077-06100	ADV 85006	Curved Handle Economy Scratch	1-1/8	13-11/16	Steel	3.14





Brushes

Maintenance Brushes, Scratch

Brush, Shoe Handle Scratch



10" overall length. 5-1/4" brush length.

EDP No.	Item Code	Description	Brush Area Width	Fill Material	Trim Length	Price
1077-06400	ADV 85053	Shoe Handle Economy Scratch	1-1/16	Stainless Steel	1-1/8	\$3.39
1077-06300	ADV 85051	4 x 16 Carbon Scratch Brush	1-1/16	Steel	1-1/8	1.84

Brushes, Acid/Flux



Horsehair material, tin ferrule. 6-1/8" overall length.

EDP No.	Item Code	Description	Trim Length	Price
4734-14000	OSBORN 74060	3/8" Acid Brush, Horsehair	7/8	\$.19
4734-09100	OSBORN 74061	7/16" Acid Brush, Horsehair	7/8	.22
1077-09200	ADV 89603	9/16" Acid Brush, Horsehair	7/8	.25
1077-09000	ADV 89602	3/8" Acid Brush, Horsehair	7/8	.21

Wire Brushes

Brush, Knot Wire Cup



- Removal of weld scale, rust, old paint and corrosion
- Cleaning and surface prep of metals
- Fill material - steel
- 6000 RPM
- 5/8" - 11NC threaded arbor

EDP No.	Item Code	Description	Wire Dia.	Rows Widel	Trim Length	Price
1077-03700	ADV 82531	6" x 5/8-11 .025 Cup Brush	0.02	1	1.1/4	\$60.19
1077-03900	ADV 82558	6" x 5/8-11 .035 Knot Cup Brush	0.035	2	1-3/4	49.01
1077-03800	ADV 82532	Cup Brush 6" Knotted .035	0.035	1	1-3/4	47.73



Brushes

Wire Brushes

Brush, Small Grinder Knot Wire Cup

- Removes scale, deburrs, cleans welds and flat surfaces
- Heavy-duty application burr removal
- Fill material - steel
- 14,000 RPM
- 7/8" trim length



EDP No.	Item Code	Description	Threaded AH	Wire Diameter	Price
1077-03100	ADV 82232	3-1/2" Knot Style Cup Brush	5/8-11 NC	0.02	\$18.96
1077-02900	ADV 82219	2-3/4" x 5/8-11 .014 Knot Cup	5/8-11 NC	0.014	16.48
1077-03000	ADV 82220	2-3/4" x 5/8-11 .020 Knot Cup	5/8-11 NC	0.02	15.41
1077-03200	ADV 82240	2-3/4" .020 M10 x 1.25 Knot Cup	M-10 x 1.25	0.02	18.96

Brushes, End

Brush, Knot Wire End

Rugged brushing tools designed with the finest wire to offer efficient usage for a wide variety of tough cleaning and maintenance applications; can be used on CNC equipment. Fill diameter .014. 22,000 RPM.



EDP No.	Item Code	Description	Lgth of Brush Part	Overall Length	Fill Material	Trim Lgth	Price
4734-02100	OSBORN 30112	1-1/8" .014 HD Knot Endbrush	7/8	2-1/2	Steel	7/8	\$15.35
1077-04700	ADV 83098	1" Knotted End Brush	1	2-3/4	Stainless Steel	1-1/8	19.79

Production

Brushes, Power Wheel

Brush, Crimped Wire Medium Face Wheel

- Edge Blending
- Deburring
- Rust Removal
- Surface Finishing
- Cleaning
- General Bench Motor Use
- Fill Material - Steel
- 2" Arbor Hole Except 21587 (5/8")



EDP No.	Item Code	Description	Trim Length	Face Width	Max. RPM	Price
1077-00800	ADV 81115	6" x 2" .012 Wire Wheel	1	7/8	6000	\$37.00
1077-00900	ADV 81116	6" x 2" .014 Wire Wheel	1	7/8	6000	32.75
1077-01000	ADV 81122	7" .014CS Crimp Wire Wheel	1-1/2	3/4	6000	35.78
1077-01100	ADV 81128	8" x 1-1/8" x 2" AH .014 Wire	1-1/2	5/8	4500	44.23
1077-01200	ADV 81133	10" .0118 Crimp Wire Wheel	2	1-1/4	3600	72.01
1077-00700	ADV 80042	6" .014CS 1/2" Wire Wheel	1-1/8	5/8	6000	15.09



Brushes

Adapters, 2" Arbor Hole



Slip fit. Used in pairs.

EDP No.	Item Code	Description	Price
1077-05300	ADV 84620	1/2" Metal Adapt F/2" AH (PR)	\$3.74
1077-05400	ADV 84621	5/8" Metal Adapt F/2" AH (PR)	3.74
1077-05500	ADV 84622	3/4" Metal Adapt F/2" AH (PR)	3.74
1077-05600	ADV 84624	1" Metal Adapt f/2" AH (PR)	3.74
2183-00100	DON CP40	Reuseable Adapter up to 5" Dep. Center Wheels	12.66
2183-90283	DON CP59F	5/8-11 Thrd. Adapter for 7.9" Dep. Center Wheels	1.43

Abrasives

Surface Conditioning

3M Roloc Disc (361F) provides fast, efficient grinding, blending, leveling & finishing on all types of metal. Rotoc TR (plastic button) provides for quick change out of discs. Aluminum Oxide.

EDP No.	Item Code	Description	Price
1004-05800	3MIND 07480	2" Scotch-Brite Roloc Disc - Coarse	\$1.60
1004-06100	3MIND 07481	2" Scotch-Brite Roloc Disc - Medium	1.60
1004-06200	3MIND 07485	3" Scotch-Brite Roloc Disc - Coarse	3.04
1004-06400	3MIND 07486	3" Scotch-Brite Roloc Disc - Medium	3.04
1004-ZZ006	3MIND 22392	361F TR 3" Roloc Disc - 24 Grit	.90
1004-ZZ005	3MIND 22404	361F TR 3" Roloc Disc - 80 Grit	.74
1004-ZZ004	3MIND 22406	361F TR 3" Roloc Disc - 120 Grit	.71
1004-17700	3MIND 01397	2" 36G Green Roloc	2.21
1004-17800	3MIND 01407	3" 36G Green Roloc	2.56



#07481
Pkg. 25/Box

Discs (Quick Change Aluminum Oxide (A/O), FE, GP & Rapid Cut)

Pads, Hand

APPLICATIONS:

- Deburring.
- Polishing.
- Cleaning.
- Finishing.
- Surface preparation.
- Hand applications on metals, composite or plastic surfaces.

FEATURES:

- Pre-cut 6" x 9" size.
- Flexible.
- Washable.
- Uniform distribution of grain.
- Various grades.

BENEFITS

- No cutting of rolls; economical size
- Conforms to work piece; will not alter shape
- Reusable; rust proof
- Consistent finish
- Adaptability to specific jobs
- Can replace steel wool, files, scrapers, wire brushes, and sandpaper sheets.



EDP No.	Item Code	Description	Grain	Color	Price
5887-01800	STAABR 827505	6 x 9 Maron Vryfin A/O Fibrat	A/O	Maroon	\$1.04
5887-01700	STAABR 827500	6 x 9 Gray Ultrfin S/C Fibrat	S/C	Gray	1.04
5887-04600	STAABR 827525	Cleaning Hand Pad	N/A	White	1.04



Abrasives

Wheels, Depressed Center for Grinding

Abrasive, Premier Red Zirconia Alumina



FEATURES:

- High performance Zirconia alumina abrasive.
- High performance resin bond.
- Exceptional balance.
- Unique glass cloth design.
- Best performing wheel.

BENEFITS:

- 60% faster stock removal and a minimum of 3 times the life over aluminum oxide wheels.
- Enhanced life; exceptional cut rate.
- No vibration.
- No bouncing on workpiece.
- Less grinder maintenance.
- Less operator fatigue.
- No fraying or spalling of abrasive grit.
- Highest productivity; lowest total grinding cost.

Z24 - Outstanding results grinding stainless steel, high alloy steel, and all ferrous metals.

Z24 LONG LIFE - Extended life when grinding stainless steel, high alloy steel and all ferrous metals. Similar to Norzon III

EDP No.	Item Code	Description	Grading	Max. RPM	Price
1712-39712	CARBO 02867	4 x 1/4 x 3/8 TYPE 27 - For Right Angle Grinders	Z24	15250	\$4.36
1712-21212	CARBO 02868	4 x 1/4 x 5/8 TYPE 27 - For Right Angle Grinders	Z24	15250	5.45
1712-21612	CARBO 02873	4-1/2 x 1/4 x 5/8-11 TYPE 27 - For Right Angle Grinders	Z24	13580	6.53
1712-03300	CARBO 02872	4-1/2 x 1/4 x 7/8 TYPE 27 - For Right Angle Grinders	Z24	13580	4.36
1712-22012	CARBO 02884	7 x 1/4 x 5/8-11 TYPE 27 - For Right Angle Grinders	Z24 Long Life	8600	11.69
1712-54312	CARBO 02890	9 x 1/4 x 5/8-11 TYPE 27 - For Right Angle Grinders	Z24 Long Life	6600	10.76

Wheels, Reinforced Cut-off for Right Angle Grinders

Abrasive Blend, Premier RedCut Reinforced Zirconia Alumina/Aluminum Oxide



FEATURES:

- Durable zirconia alumina/aluminum oxide abrasive blend.
- Unique high-strength reinforced construction.
- Extra thin.

BENEFITS:

- 3 times the life and 2 times the cut rate of standard aluminum oxide wheels.
- Maximum productivity, lowest total grinding costs.
- Provides strength for use on right angle grinders.
- Flexible, resilient.
- Resists breakage.
- Less binding; quick cutting action.

Excels on a broad range of materials. from alloys and stainless to gray iron.

EDP No.	Item Code	Description	Grading	Max. RPM	Price
1808-03400	CGW 59108	4 x 1/16 x 3/8 T-1	A36-R-BF	19100	\$.77
1004-19100	3MIND 83488	4 x 1-1/16 x 3/8 Cutoff Wheel	Ceramic	21000	5.42
1808-03300	CGW 59107	4 x 1/2 x 3/8 T-1	A60-R-BF	19100	.77
1808-01200	CGW 45002	4-1/2 x .045 x 7/8 TYPE 27 For Right Angle Grinders	ZA60-Q	13300	1.25
1808-03500	CGW 70099	4-1/2 x 1/4 x 7/8 T-27	A30-N-ALV	13300	1.48
1712-01300	CARBO 63953	5 x 1/16 x 7/8 TYPE 41 - For Right Angle Grinders	ZA60-Q	12225	2.23
1808-01400	CGW 35517	6 x .045 x 7/8 TYPE 41 - For Right Angle Grinders	A36-T-BF	10200	1.46



Abrasives

Emory Cloth, Sandscreen Rolls

Aluminum Oxide Resin Cloth



FEATURES:

- P-graded, brown aluminum oxide abrasive.
- Full resin bond system.
- Flexible cloth backing.
- Dispenser boxed.

BENEFITS:

- Tough and durable.
- Increased life.
- Follows shapes and contours.
- Convenience.

Ideal for cleaning and deburring metal surfaces. May be used dry or with oil. Easily dispensed from the package. Cut or tear to desired length.

EMORY CLOTH

EDP No.	Item Code	Description	Price
1004-32600	3MIND 19793	1" P60GR 314D ECONO ROLL	\$27.62
1004-32700	3MIND 19792	1" P80GR 314D ECONO ROLL	23.33
1004-32800	3MIND 19791	1" P100GR 314D ECONO ROLL	22.56
1004-32900	3MIND 19789	1" P150GR 314D ECONO ROLL	22.56
1004-33000	3MIND 19788	1" P180GR 314D ECONO ROLL	22.56
1004-33100	3MIND 19786	1" P240GR 314D ECONO ROLL	22.56
1004-33200	3MIND 19784	1" P320GR 314D ECONO ROLL	22.56
1004-33300	3MIND 19783	1" P400GR 314D ECONO ROLL	22.56
1004-33400	3MIND 19812	1-1/2" P60GR 314D ECONO ROLL	38.90
1004-33500	3MIND 19811	1-1/2" P80GR 314D ECONO ROLL	32.66
1004-33600	3MIND 19809	1-1/2" P120GR 314D ECONO ROLL	31.51
1004-33700	3MIND 19807	1-1/2" P180GR 314D ECONO ROLL	31.51
1004-33800	3MIND 19805	1-1/2" P240GR 314D ECONO ROLL	31.51
1004-33900	3MIND 19806	1-1/2" P220GR 314D ECONO ROLL	31.51
1004-34000	3MIND 19803	1-1/2" P320GR 314D ECONO ROLL	31.51
1004-34100	3MIND 19824	2" P60GR 314D ECONO ROLL	50.16
1004-34200	3MIND 19823	2" P80GR 314D ECONO ROLL	42.01
1004-34300	3MIND 19822	2" P100GR 314D ECONO ROLL	40.06
1004-34400	3MIND 19821	2" P120GR 314D ECONO ROLL	40.06
1004-34500	3MIND 19820	2" P150GR 314D ECONO ROLL	40.06
1004-34600	3MIND 19819	2" P180GR 314D ECONO ROLL	40.06
1004-34700	3MIND 19817	2" P240GR 314D ECONO ROLL	40.06
1004-34800	3MIND 19815	2" P320GR 314D ECONO ROLL	40.06
1004-34900	3MIND 19814	2" P400GR 314D ECONO ROLL	40.06

SANDBCREEN

1686-04000	CAPCO 1555080	1-1/2 x 25 Yds. 80G Sandscreen Roll 80	\$47.11
1686-04100	CAPCO 1555180	1-1/2 x 25 Yds. 180G Sandscreen Roll 180	38.59

Disc, Flap, Plain Center

Applications:

- Best disc for: Rapid, aggressive stock removal on a variety of welds, castings and other metal fabrication applications on steel & stainless steel.
- High stock removal on metal cabinets, corners and flats.
- Removing cutting torch slag from steel plate.

RPM RATINGS: 13,300

USA REGULAR FLAP DISC

EDP No.	Item Code	Description	Price
--	CGW 41722	4-1/2 x 7/8 40G T29 Z-Poly	\$2.62
--	CGW 41705	4-1/2 x 7/8 80G T27 Z-Poly	2.62
--	CGW 41714	4-1/2 x 5/8-11 60G T27 Z-Poly	3.69
--	CGW 41724	4-1/2 x 7/8 60G T29 Z-Poly	2.62
--	CGW 41734	4-1/2 x 5/8-11 60G T29 Z-Poly	3.69

USA XL (Approx. 35-55% more material)

--	CGW 41742	4-1/2 x 7/8 40G T27 XL	3.74
--	CGW 41757	4-1/2 x 5/8-11 36G T27 XL	4.42
--	CGW 41762	4-1/2 x 7/8 40G T29 XL	3.34
--	CGW 41764	4-1/2 x 7/8 60G T29 XL	3.34





Abrasives

Wheels, Reinforced Cut-off for Chop Saws

Abrasive, Premier Red Reinforced Zirconia Alumina

FEATURES:

- Premium zirconia alumina abrasive.
- High performance resin bond.
- High-strength, externally reinforced construction.

BENEFITS:

- Fast cut rate.
- 3 times the life of aluminum oxide.
- Ideal for cutting stainless steel.
- Works best on dry cuts.
- Most free cutting.
- Long life.
- Resists breakage and provides straight cuts.

For use on table-top machines. Best choice for cutting light tubing, angle iron, exhaust pipes, steel extrusions, stainless, alloyed steel and many non-ferrous metals.



EDP No.	Item Code	Description	Grading	Price
5239-01200	RADABR 7316012	12" x 3/32" x 1" T1 TA30RB(F8)	TA30RB	\$12.78
1808-03600	CGW 70113	14" x 3/32" x 1"	A30-PBF	4.03
5239-01300	RADABR T316016	14" x 3/32" x 1" T1 TA30RB(F8)	TA30RB	16.48
5239-00800	RADABR 7315899	14" x 7/64" x 1" T1 A46TB(F)	A46TB	8.40
1808-02100	CGW 36234	14" x 7/64" x 1"	A36-S-BF	3.86
5239-01400	RADABR T316018	16" x 5/32" x 1" TA24TB(F8)	TA24TB	29.60

Wheels, Reinforced Cut-Off Wheel-Type 27

Cut-Off Wheel-Quickie Cut

Quickie Cut Extreme Cutoff Wheels provide 10% more weights, better finish, reducing burn and produces fewer burrs. ZA60-S is a Zirconia and Aluminum Oxide mixture. Excellent for general purpose and stainless steel. 25/Carton, 4-1/2" rated 13,300 rpm.



EDP No.	Item Code	Description	Grading	Price
--	CGW 45002	4-1/2 x .045 x 7/8 T27 Cutoff Wheel	ZA-60-S-BF	Call for Pricing

Wheels, Bench and Pedestal

Aluminum Oxide

For Steel/Metal



FEATURES:

- Aluminum oxide abrasive - gray.
- Vitrified bond.

BENEFITS:

- Fast cut rate.
- Free cutting action; long life.

Ideal for removing burrs on steel parts, as well as sharpening high speed steel cutting tools.

Note: Specify Arbor Size.

EDP No.	Item Code	Description	Grading	Max RPM	Price
1712-00200	CARBO 09973	6 x 1 x 1 36-M TYPE 1	36-M	4140	\$24.94
1712-02900	CARBO 09972	6 x 1 x 1 A60-MV	60-M	4140	24.94
1712-22412	CARBO 09965	7 x 1 x 1 TYPE 1 Wheel	60-M	3600	30.46
1712-02700	CARBO 09952	10 x 1 x 1-1/4" A60-MV	60-M	2485	54.84
1712-00100	CARBO 09947	10 x 1-1/4 x 1-1/4 TYPE 1 Wheel	36-M	2485	79.04
1712-82909	CARBO 09938	12 x 2 x 1-1/2 TYPE 1 Wheel	36-M	2070	139.10



Abrasives

Wheel Dressers For Use on Medium & Coarse Wheels



EDP No.	Item Code	Description	Wheel Dia.	Face	Price
2129-00200	DESMON 11220	#0 - Cutter F/#0 Dresser	--	--	\$2.25
2129-00100	DESMON 11210	#0 - Dresser Huntington	Up to 10"	2"	\$15.38
2129-00300	DESMON 11310	#1 - Dresser Huntington	10-16"	3"	\$20.16
2129-00400	DESMON 11320	#1 - Cutter F/#1 Dresser	--	--	\$3.00
2129-00600	DESMON 11520	#2 - Huntington Cutter Only	--	--	\$7.60
2129-00500	DESMON 11510	#2 - Dresser Huntington	16-36"	3-1/2"	\$28.79

Finishing Media

Glas-Shot

Glass-Shot beads are manufactured of high grade, optical crown glass, soda lime type. High in silica content, they contain no lead and are resistant to atmospheric moisture, dilute acids and alkalis. Annealed in the spherical shape for stress equalization. **50 Lb. Bag.**

EDP No.	Item Code	Description	Nominal Inches	Microns Range	% True Spheres	Price
1748-00400	CAT AA	Glasshot 40-70 Microbeads (MSXHX0)	.0164-.0082	420-210	70	\$1.04
1748-00200	CAT AD	Glasshot 70-140 Microbeads (MSMH)	.0083-.0041	--	--	\$.93
1748-00300	CAT AG	Glasshot 140-270 Microbeads (MSML)	.0041-.0021	105-53	85	\$.98
1748-00100	CAT AH	Glasshot 170-325 Microbeads (MSL)	.0041-.0021	--	--	\$.83

Abrasive Discs Industrial Products for Metalworking

New 3M™ Cubitron™ II Fibre Disc 982C

Cubitron II Fibre Discs are made with revolutionary 3M precision-shaped ceramic grain technology, engineered with ultra-sharp, fast cutting points that wear evenly, run cool and optimize mineral breakdown to maximize disc life.

No matter how you cut it, Cubitron II Discs work harder. Push yourself to the limit or let the disc do the work, either way, 982C removes an average of 40% more material than comparable fibre discs. Finish more parts with fewer discs regardless of grinding pressure.

EDP #	Diameter	Grade	UPC (051141-)	Min./Case	Pricing Per Each	
					1-24	25+
1004-26900	4-1/2" x 7/8"	36+	27400	25/100	\$3.03	\$2.80
--	4-1/2" x 7/8"	60+	27631	25/100	2.70	2.49
--	4-1/2" x 7/8"	80+	27635	25/100	2.54	2.34
1004-00400	5" x 7/8"	60+	27632	25/100	2.99	2.69
1004-20700	4-1/2" TN	36+	27425	25/100	3.60	3.24

PSA Discs

Premium aluminum oxide mineral on a durable paper backing, with load resisting coating. Excellent for sanding on white wood, metal, composites, primer, paint sealers and topcoats.



Metal meets its match.




Faster cut rates with less pressure for longer periods of time provide you with:

- Increased productivity
- Increased throughput
- Lower cost/grind

Unique + Grades for Revolutionary Products

Engineered triangular shapes can't be boxed into the screens used for grading today. Precision-shaped grain is bigger, better, faster and longer lasting than ANSI-graded abrasives thanks to the clean out provided by the sharp minerals that cut through metal.

CUBITRON II



Breakthrough technology: 3M™ Precision Shaped Grain

NEW!

Now available in grades 36+, 60+ and 80+

Grinding Applications:

- Weld (edge & flat)
- Flame cut
- Weld prep (flat)
- Weld Removal
- Edge work

Also Available in:
5" - 7" - 9" Sizes
Hubs & Face Plates
Available



Abrasives & Brushes